

## **Product datasheet for TA811981**

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## ETS1 associated protein II (TDP2) Mouse Monoclonal Antibody [Clone ID: OTI3G10]

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTI3G10

Applications: WB

Recommended Dilution: WB 1:2000

Reactivity: Human Host: Mouse

Host: Mou lsotype: lgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human TDP2 (NP\_057698) produced in HEK293T

cell

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 40.7 kDa

**Gene Name:** tyrosyl-DNA phosphodiesterase 2

Database Link: NP 057698

Entrez Gene 51567 Human

<u>095551</u>

**Background:** This gene encodes a member of a superfamily of divalent cation-dependent

phosphodiesterases. The encoded protein associates with CD40, tumor necrosis factor (TNF) receptor-75 and TNF receptor associated factors (TRAFs), and inhibits nuclear factor-kappa-B activation. This protein has sequence and structural similarities with APE1 endonuclease, which is involved in both DNA repair and the activation of transcription factors. [provided by

RefSeq, Jul 2008]







Synonyms: AD022; dJ30M3.3; EAP2; EAPII; hTDP2; TTRAP

**Protein Families:** Druggable Genome, Stem cell - Pluripotency, Transcription Factors

# **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY TDP2 (Cat# [RC202015], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-TDP2 antibody (Cat# TA811981). Positive lysates [LY413867] (100ug) and [LC413867] (20ug) can be purchased separately from OriGene.



Equivalent amounts of cell lysates (10 ug per lane) of wild-type HeLa cells (WT, Cat# LC810HELA) and TDP2-Knockout HeLa cells (KO, Cat# [LC833387]) were separated by SDS-PAGE and immunoblotted with anti-TDP2 monoclonal antibody TA811981 (1:500). Then the blotted membrane was stripped and reprobed with anti-HSP90 antibody as a loading control.