

Product datasheet for TA811981AM

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

ETS1 associated protein II (TDP2) Mouse Monoclonal Antibody (Biotin conjugated) [Clone ID: OTI3G10]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI3G10

Applications: WB

Recommended Dilution: WB 1:2000
Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human TDP2 (NP_057698) produced in HEK293T

cell.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 0.5 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Biotin

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 40.7 kDa

Gene Name: tyrosyl-DNA phosphodiesterase 2

Database Link: NP 057698

Entrez Gene 51567 Human

<u>095551</u>





ETS1 associated protein II (TDP2) Mouse Monoclonal Antibody (Biotin conjugated) [Clone ID: OTI3G10] – TA811981AM


Background: This gene encodes a member of a superfamily of divalent cation-dependent

phosphodiesterases. The encoded protein associates with CD40, tumor necrosis factor (TNF) receptor-75 and TNF receptor associated factors (TRAFs), and inhibits nuclear factor-kappa-B activation. This protein has sequence and structural similarities with APE1 endonuclease, which is involved in both DNA repair and the activation of transcription factors. [provided by RefSeq, Jul 2008]


Synonyms: AD022; dJ30M3.3; EAP2; EAPII; hTDP2; TTRAP

Protein Families: Druggable Genome, Stem cell - Pluripotency, Transcription Factors

Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY TDP2 (Cat# [RC202015], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-TDP2 antibody (Cat# [TA811981]). Positive lysates [LY413867] (100ug) and [LC413867] (20ug) can be purchased separately from OriGene.



Equivalent amounts of cell lysates (10 ug per lane) of wild-type HeLa cells (WT, Cat# LC810HELA) and TDP2-Knockout HeLa cells (KO, Cat# [LC833387]) were separated by SDS-PAGE and immunoblotted with anti-TDP2 monoclonal antibody [TA811981] (1:500). Then the blotted membrane was stripped and reprobed with anti-HSP90 antibody as a loading control.