

## **Product datasheet for TA812319AM**

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### **UPP2** Mouse Monoclonal Antibody (Biotin conjugated) [Clone ID: OTI9G9]

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTI9G9
Applications: WB

Recommended Dilution: WB 1:2000

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human UPP2 (NP\_775491) produced in HEK293T

cell

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

**Concentration:** 0.5 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Biotin

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 35.3 kDa

**Gene Name:** uridine phosphorylase 2

Database Link: NP 775491

Entrez Gene 76654 MouseEntrez Gene 295620 RatEntrez Gene 151531 Human

<u>095045</u>

**Background:** Catalyzes the reversible phosphorylytic cleavage of uridine and deoxyuridine to uracil and

ribose- or deoxyribose-1-phosphate. The produced molecules are then utilized as carbon and

energy sources or in the rescue of pyrimidine bases for nucleotide synthesis. Shows substrate specificity and accept uridine, deoxyuridine, and thymidine as well as the two pyrimidine nucleoside analogs 5-fluorouridine and 5-fluoro-2(')-deoxyuridine as substrates.

[UniProtKB/Swiss-Prot Function]






Synonyms: UDRPASE2; UP2; UPASE2

**Protein Pathways:** Drug metabolism - other enzymes, Metabolic pathways, Pyrimidine metabolism

# **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY UPP2 (Cat# [RC207260], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-UPP2(Cat# [TA812319]). Positive lysates [LY406610] (100ug) and [LC406610] (20ug) can be purchased separately from OriGene.