

Product datasheet for TA812509BM

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

LDL Receptor (LDLR) Mouse Monoclonal Antibody (HRP conjugated) [Clone ID: OTI1F4]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI1F4

Applications: FC

Recommended Dilution: FLOW 1:100

Reactivity: Human

Host: Mouse

Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human LDLR (NP_000518) produced in HEK293T

cell.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol.

Concentration: 0.5 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: HRP

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 95.38 kDa

Gene Name: low density lipoprotein receptor

Database Link: NP 000518

Entrez Gene 3949 Human

P01130



LDL Receptor (LDLR) Mouse Monoclonal Antibody (HRP conjugated) [Clone ID: OTI1F4] – TA812509BM

Background:


The low density lipoprotein receptor (LDLR) gene family consists of cell surface proteins involved in receptor-mediated endocytosis of specific ligands. Low density lipoprotein (LDL) is normally bound at the cell membrane and taken into the cell ending up in lysosomes where the protein is degraded and the cholesterol is made available for repression of microsomal enzyme 3-hydroxy-3-methylglutaryl coenzyme A (HMG CoA) reductase, the rate-limiting step in cholesterol synthesis. At the same time, a reciprocal stimulation of cholesterol ester synthesis takes place. Mutations in this gene cause the autosomal dominant disorder, familial hypercholesterolemia. Alternate splicing results in multiple transcript variants. [provided by RefSeq, Sep 2010]

Synonyms: FH; FHC; FHCL1; LDLCQ2

Protein Families: Druggable Genome, ES Cell Differentiation/IPS, Transmembrane

Protein Pathways: Endocytosis

Product images:



Flow cytometric analysis of living 293T cells transfected with LDLR overexpression plasmid ([RC200006]), Red)/empty vector ([PS100001], Blue) using anti-LDLR antibody ([TA812509]). Cells incubated with a non-specific antibody (Green) were used as isotype control (1:100).