

# **Product datasheet for TA812648**

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## MTHFR Mouse Monoclonal Antibody [Clone ID: OTI4C5]

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTI4C5

**Applications:** WB

Recommended Dilution: WB 1:500

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Human recombinant protein fragment corresponding to amino acids 1-230 of human MTHFR

(NP\_005948) produced in E.coli.

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 74.4 kDa

**Gene Name:** methylenetetrahydrofolate reductase (NAD(P)H)

Database Link: NP 005948

Entrez Gene 17769 MouseEntrez Gene 362657 RatEntrez Gene 4524 Human

P42898

**Background:** The protein encoded by this gene catalyzes the conversion of 5,10-methylenetetrahydrofolate


to 5-methyltetrahydrofolate, a co-substrate for homocysteine remethylation to methionine. Genetic variation in this gene influences susceptibility to occlusive vascular disease, neural tube defects, colon cancer and acute leukemia, and mutations in this gene are associated with methylenetetrahydrofolate reductase deficiency. [provided by RefSeq, Oct 2009]

### MTHFR Mouse Monoclonal Antibody [Clone ID: OTI4C5] - TA812648

**Protein Families:** Druggable Genome

**Protein Pathways:** Metabolic pathways, Methane metabolism, One carbon pool by folate

# **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY MTHFR ([RC208588], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-MTHFR (1:500). Positive lysates [LY416960] (100ug) and [LC416960] (20ug) can be purchased separately from OriGene.