

# **Product datasheet for TA812686M**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### ADAM28 Mouse Monoclonal Antibody [Clone ID: OTI6C6]

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTI6C6

Applications: WB

Recommended Dilution: WB 1:500

Reactivity: Human

Host: Mouse Isotype: IgG2b

Clonality: Monoclonal

**Immunogen:** Human recombinant protein fragment corresponding to amino acids 199-440 of human

ADAM28 (NP 055080) produced in E.coli.

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

**Conjugation:** Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

Predicted Protein Size: 87 kDa

Gene Name: ADAM metallopeptidase domain 28

Database Link: NP 055080

Entrez Gene 10863 Human

O9UKO2



### ADAM28 Mouse Monoclonal Antibody [Clone ID: OTI6C6] - TA812686M


#### Background:

This gene encodes a member of the ADAM (a disintegrin and metalloprotease domain) family. Members of this family are membrane-anchored proteins structurally related to snake venom disintegrins, and have been implicated in a variety of biological processes involving cell-cell and cell-matrix interactions, including fertilization, muscle development, and neurogenesis. The protein encoded by this gene is a lymphocyte-expressed ADAM protein. This gene is present in a gene cluster with other members of the ADAM family on chromosome 8. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jan 2015]

Synonyms: ADAM 28; eMDC II; eMDCII; MDC-L; MDCL

**Protein Families:** Druggable Genome, Protease, Secreted Protein, Transmembrane

## **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY ADAM28 ([RC217775], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-ADAM28 (1:500).