

## Product datasheet for TA812721BM

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## M6PR Mouse Monoclonal Antibody (HRP conjugated) [Clone ID: OTI2F3]

**Product data:** 

**Product Type:** Primary Antibodies

Clone Name: OTI2F3
Applications: WB

Recommended Dilution: WB 1:500

Reactivity: Human, Dog, Monkey, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Human recombinant protein fragment corresponding to amino acids 27-185 of human M6PR

(NP\_002346) produced in E.coli.

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol.

Concentration: 0.5 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: HRP

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 30.99 kDa

**Gene Name:** mannose-6-phosphate receptor, cation dependent

Database Link: NP 002346

Entrez Gene 17113 MouseEntrez Gene 312689 RatEntrez Gene 477700 DogEntrez Gene

716696 MonkeyEntrez Gene 4074 Human

P20645

**Background:** Transport of phosphorylated lysosomal enzymes from the Golgi complex and the cell surface

to lysosomes. Lysosomal enzymes bearing phosphomannosyl residues bind specifically to mannose-6-phosphate receptors in the Golgi apparatus and the resulting receptor-ligand complex is transported to an acidic prelyosomal compartment where the low pH mediates

the dissociation of the complex. [UniProtKB/Swiss-Prot Function]






Synonyms: CD-M6PR; CD-MPR; MPR-46; MPR 46; MPR46; SMPR


**Protein Families:** Druggable Genome, Transmembrane

Protein Pathways: Lysosome

## **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY M6PR (Cat# [RC201277], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-M6PR (Cat# [TA812721])(1:500). Positive lysates [LY419372] (100ug) and [LC419372] (20ug) can be purchased separately from OriGene.



Western blot analysis of extracts (35ug) from 13 different cell lines by using anti-M6PR monoclonal antibody (1:500).