

# **Product datasheet for TA813512**

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## iNOS (NOS2) Mouse Monoclonal Antibody [Clone ID: OTI1A1]

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTI1A1
Applications: WB

**Reactivity:** WB 1:1000 Human

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

**Immunogen:** Human recombinant protein fragment corresponding to amino acids 539-970 of human

Nos2 (NP\_000616) produced in E.coli.

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Shipped at -20°C or with ice packs, Upon delivery store at -20°C. Dilute in PBS(pH7.3) if

necessary. Stable for 12 months from date of receipt. Avoid repeated freeze-thaws.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 130.9 kDa

**Gene Name:** nitric oxide synthase 2

Database Link: NP 000616

Entrez Gene 4843 Human

P35228

**Background:** Nitric oxide is a reactive free radical which acts as a biologic mediator in several processes,

including neurotransmission and antimicrobial and antitumoral activities. This gene encodes a nitric oxide synthase which is expressed in liver and is inducible by a combination of lipopolysaccharide and certain cytokines. Three related pseudogenes are located within the

Smith-Magenis syndrome region on chromosome 17. [provided by RefSeq, Jul 2008].





Synonyms: HEP-NOS; INOS; NOS; NOS2A


**Protein Families:** Druggable Genome

**Protein Pathways:** Alzheimer's disease, Amyotrophic lateral sclerosis (ALS), Arginine and proline metabolism,

Calcium signaling pathway, Long-term depression, Metabolic pathways, Pathways in cancer,

Small cell lung cancer

# **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY NOS2 ([RC211819], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-NOS2.(1:1000)