

Product datasheet for TA814330BM

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Desmin (DES) Mouse Monoclonal Antibody (HRP conjugated) [Clone ID: OTI14E7]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI14E7

Applications: IHC

Recommended Dilution: IHC 1:1000

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Synthetic peptide (the amino acid sequence is considered to be commercially sensitive)

within Human Desmin (NP_001918). The exact sequence is proprietary.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol.

Concentration: 0.5 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: HRP

Storage: Shipped at -20°C or with ice packs, Upon delivery store at -20°C. Dilute in PBS(pH7.3) if

necessary. Stable for 12 months from date of receipt. Avoid repeated freeze-thaws.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 53.5 kDa

Gene Name: desmin

Database Link: NP 001918

Entrez Gene 13346 MouseEntrez Gene 64362 RatEntrez Gene 1674 Human

P17661

Background: This gene encodes a muscle-specific class III intermediate filament. Homopolymers of this

protein form a stable intracytoplasmic filamentous network connecting myofibrils to each other and to the plasma membrane. Mutations in this gene are associated with desmin-related myopathy, a familial cardiac and skeletal myopathy (CSM), and with distal myopathies.

[provided by RefSeq, Jul 2008]






Synonyms: CDCD3; CSM1; CSM2; LGMD1D; LGMD1E; LGMD2R

Protein Families: Druggable Genome


Protein Pathways: Arrhythmogenic right ventricular cardiomyopathy (ARVC), Dilated cardiomyopathy,

Hypertrophic cardiomyopathy (HCM)

Product images:




Immunohistochemical staining of paraffinembedded Human colon tissue within the normal limits using anti-Desmin mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.0) at 120°C for 3 min, [TA814330])




Immunohistochemical staining of paraffinembedded Carcinoma of Human lung tissue using anti-Desmin mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.0) at 120°C for 3 min, [TA814330])






Immunohistochemical staining of paraffinembedded Human gastric tissue within the normal limits using anti-Desmin mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.0) at 120°C for 3 min, [TA814330])



Immunohistochemical staining of paraffinembedded Human Gastric Carcinoma using anti-Desmin mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.0) at 120°C for 3 min, [TA814330])



Immunohistochemical staining of paraffinembedded Human appendix tissue within the normal limits using anti-Desmin mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.0) at 120°C for 3 min, [TA814330])