

Product datasheet for TA815247S

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

RPE65 Mouse Monoclonal Antibody [Clone ID: OTI6C6]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI6C6

Applications: WB

Recommended Dilution: WB 1:500-1:2000

Reactivity: Human, Mouse

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Human recombinant protein fragment of human RPE65 (NP_000320) produced in E.coli.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Shipped at -20°C or with ice packs, Upon delivery store at -20°C. Dilute in PBS(pH7.3) if

necessary. Stable for 12 months from date of receipt. Avoid repeated freeze-thaws.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 61.4 kDa

Gene Name: retinal pigment epithelium-specific protein 65kDa

Database Link: NP 000320

Entrez Gene 19892 MouseEntrez Gene 6121 Human

016518



Background:

The protein encoded by this gene is a component of the vitamin A visual cycle of the retina which supplies the 11-cis retinal chromophore of the photoreceptors opsin visual pigments. It is a member of the carotenoid cleavage oxygenase superfamily. All members of this superfamily are non-heme iron oxygenases with a seven-bladed propeller fold and oxidatively cleave carotenoid carbon:carbon double bonds. However, the protein encoded by this gene has acquired a divergent function that involves the concerted O-alkyl ester cleavage of its all-trans retinyl ester substrate and all-trans to 11-cis double bond isomerization of the retinyl moiety. As such, it performs the essential enzymatic isomerization step in the synthesis of 11-cis retinal. Mutations in this gene are associated with early-onset severe blinding disorders such as Leber congenital. [provided by RefSeq, Oct 2017]

Synonyms: BCO3; LCA2; mRPE65; p63; rd12; RP20; sRPE65

Protein Families: Druggable Genome
Protein Pathways: Retinol metabolism

Product images:





Figure A, Western blot analysis of overexpressed lysates(15ug per lane) from HEK293T cells transfected with empty plasmid ([PS100001], lane 1), human RPE65 plasmid ([RC210433], lane 2), mouse RPE65 plasmid ([MR223598], lane 3) using anti-ADAR antibody [TA815247] (1:2000). Figure B, Western blot analysis of the same samples as figure A with anti-DDK antibody ([TA180144], 1:1000)





Western blot analysis of extracts (50ug) from mouse eye lysate by using anti-RPE65 monoclonal antibody([TA815247], 1:500)