

Product datasheet for TA815944M

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

GRP78 (HSPA5) Mouse Monoclonal Antibody [Clone ID: OTI16C9]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI16C9

Applications: WB

Recommended Dilution: WB 1:500

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Human recombinant protein fragment of Human HSPA5 (NP_005338) produced in Ecoli.

Formulation: PBS (PH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Shipped at -20°C or with ice packs, Upon delivery store at -20°C. Dilute in PBS(pH7.3) if

necessary. Stable for 12 months from date of receipt. Avoid repeated freeze-thaws.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 72.3 kDa

Gene Name: heat shock protein family A (Hsp70) member 5

Database Link: NP 005338

Entrez Gene 14828 MouseEntrez Gene 25617 RatEntrez Gene 3309 Human

P11021





Background:

The protein encoded by this gene is a member of the heat shock protein 70 (HSP70) family. This protein localizes to the lumen of the endoplasmic reticulum (ER) where it operates as a typical HSP70 chaperone involved in the folding and assembly of proteins in the ER and is a master regulator of ER homeostasis. During cellular stress, as during viral infection or tumorogenesis, this protein interacts with the transmembrane stress sensor proteins PERK (protein kinase R-like endoplasmic reticulum kinase), IRE1 (inositol-requiring kinase 1), and ATF6 (activating transcription factor 6) where it acts as a repressor of the unfolded protein response (UPR) and also plays a role in cellular apoptosis and senescence. Elevated expression and atypical translocation of this protein to the cell surface has been reported in viral infections and some types of cancer cells. At the cell surface this protein may facilitate viral attachment and entry to host cells. This gene is a therapeutic target for the treatment of coronavirus diseases and chemoresistant cancers. [provided by RefSeq, Jul 2020]

Synonyms: BIP; GRP78; HEL-S-89n Protein Families: Druggable Genome

Protein Pathways: Antigen processing and presentation, Prion diseases

Product images:





Figure A, Western blot analysis of overexpressed lysates(15ug per lane) from HEK293T cells transfected with empty plasmid ([PS100001], NC), human HSPA5 plasmid ([RC205859], hHSPA5), mouse HSPA5 plasmid ([MR209794], mHSPA5), rat HSPA5 plasmid ([RR201826], rHSPA5) using anti-HSPA5 antibody [TA815944](1:500). Figure B, Western blot analysis of the same samples as figure A with anti-DDK antibody ([TA180144], 1:1000)





Western blot analysis of extracts (50ug per lane) from 5 cell lines lysates by using anti-HSPA5 monoclonal antibody([TA815944], 1:500)