

Product datasheet for TA890256M

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc.

C1QA Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: WB

Recommended Dilution: WB 1:2000 Reactivity: Human Rabbit Host:

Isotype: lgG

Clonality: Polyclonal

Immunogen: Human recombinant protein fragment of human C1QA (NP_057075) produced in E.coli.

PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide. Formulation:

Concentration: 1 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Store at -20°C as received. Storage:

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size:

Gene Name: complement component 1, q subcomponent, A chain

Database Link: NP 057075

Entrez Gene 712 Human

P02745

Background: This gene encodes the A-chain polypeptide of serum complement subcomponent C1q, which

associates with C1r and C1s to yield the first component of the serum complement system.

C1q deficiency is associated with lupus erythematosus and glomerulonephritis. C1q is

composed of 18 polypeptide chains which include 6 A-chains, 6 B-chains, and 6 C-chains. Each chain contains an N-terminal collagen-like region and a C-terminal C1q globular domain. Alternate splicing results in multiple transcript variants. [provided by RefSeq, Nov 2016]

Protein Families: Secreted Protein





Protein Pathways:

Complement and coagulation cascades, Prion diseases, Systemic lupus erythematosus

Product images:




Figure A, Western blot analysis of overexpressed lysates(15ug per lane) from HEK293T cells transfected with empty plasmid ([PS100001], NC), human C1QA plasmid ([RC205653], hC1QA), mouse C1QA plasmid ([MR225506], mC1QA),human C1QB plasmid ([RC203821], hC1QB), human C1QC plasmid ([RC203832], hC1QC) using anti-C1QA antibody [TA890256] (1:2000). Figure B, Western blot analysis of the same samples as figure A with anti-DDK antibody ([TA180144], 1:1000)