

Product datasheet for **TF308335**

Ku70 (XRCC6) Human shRNA Plasmid Kit (Locus ID 2547)

Product data:

Product Type:	shRNA Plasmids
Product Name:	Ku70 (XRCC6) Human shRNA Plasmid Kit (Locus ID 2547)
Locus ID:	2547
Synonyms:	CTC75; CTCBF; G22P1; KU70; ML8; TLAA
Vector:	pRFP-C-RS (TR30014)
E. coli Selection:	Chloramphenicol (34 ug/ml)
Mammalian Cell Selection:	Puromycin
Format:	Retroviral plasmids
Components:	XRCC6 - Human, 4 unique 29mer shRNA constructs in retroviral RFP vector(Gene ID = 2547). 5µg purified plasmid DNA per construct 29-mer scrambled shRNA cassette in pRFP-C-RS Vector, TR30015, included for free.
RefSeq:	NM_001288976 , NM_001288977 , NM_001288978 , NM_001469 , NM_001469.1 , NM_001469.2 , NM_001469.3 , NM_001469.4 , NM_001288978.1 , NM_001288977.1 , NM_001288976.1 , BC010034 , BC010034.2 , BC001583 , BC008343 , BC012154 , BC018259 , BC072449 , NM_001288977.2 , NM_001288976.2 , NM_001469.5
UniProt ID:	P12956
Summary:	The p70/p80 autoantigen is a nuclear complex consisting of two subunits with molecular masses of approximately 70 and 80 kDa. The complex functions as a single-stranded DNA-dependent ATP-dependent helicase. The complex may be involved in the repair of nonhomologous DNA ends such as that required for double-strand break repair, transposition, and V(D)J recombination. High levels of autoantibodies to p70 and p80 have been found in some patients with systemic lupus erythematosus. [provided by RefSeq, Jul 2008]
shRNA Design:	These shRNA constructs were designed against multiple splice variants at this gene locus. To be certain that your variant of interest is targeted, please contact techsupport@origene.com . If you need a special design or shRNA sequence, please utilize our custom shRNA service .



[View online »](#)

**Performance
Guaranteed:**

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.

For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).