

## Product datasheet for **TF315053**

### Aminoacylase 1 (ACY1) Human shRNA Plasmid Kit (Locus ID 95)

#### Product data:

Product Type:	shRNA Plasmids
Product Name:	Aminoacylase 1 (ACY1) Human shRNA Plasmid Kit (Locus ID 95)
Locus ID:	95
Synonyms:	ACY-1; ACY1D; HEL-S-5
Vector:	pRFP-C-RS (TR30014)
E. coli Selection:	Chloramphenicol (34 ug/ml)
Mammalian Cell Selection:	Puromycin
Format:	Retroviral plasmids
Components:	ACY1 - Human, 4 unique 29mer shRNA constructs in retroviral RFP vector(Gene ID = 95). 5µg purified plasmid DNA per construct 29-mer scrambled shRNA cassette in pRFP-C-RS Vector, TR30015, included for free.
RefSeq:	<a href="#">NM_000666</a> , <a href="#">NM_001198895</a> , <a href="#">NM_001198896</a> , <a href="#">NM_001198897</a> , <a href="#">NM_001198898</a> , <a href="#">NM_000666.1</a> , <a href="#">NM_000666.2</a> , <a href="#">NM_001198896.1</a> , <a href="#">NM_001198897.1</a> , <a href="#">NM_001198898.1</a> , <a href="#">NM_001198895.1</a> , <a href="#">BC003023</a> , <a href="#">BC003023.1</a> , <a href="#">BC000545</a> , <a href="#">BC014112</a> , <a href="#">NM_000666.3</a> , <a href="#">NM_001198897.2</a> , <a href="#">NM_001198898.2</a> , <a href="#">NM_001198896.2</a> , <a href="#">NM_001198895.2</a>
UniProt ID:	<a href="#">Q03154</a>
Summary:	This gene encodes a cytosolic, homodimeric, zinc-binding enzyme that catalyzes the hydrolysis of acylated L-amino acids to L-amino acids and an acyl group, and has been postulated to function in the catabolism and salvage of acylated amino acids. This gene is located on chromosome 3p21.1, a region reduced to homozygosity in small-cell lung cancer (SCLC), and its expression has been reported to be reduced or undetectable in SCLC cell lines and tumors. The amino acid sequence of human aminoacylase-1 is highly homologous to the porcine counterpart, and this enzyme is the first member of a new family of zinc-binding enzymes. Mutations in this gene cause aminoacylase-1 deficiency, a metabolic disorder characterized by central nervous system defects and increased urinary excretion of N-acetylated amino acids. Alternative splicing of this gene results in multiple transcript variants. Read-through transcription also exists between this gene and the upstream ABHD14A (abhydrolase domain containing 14A) gene, as represented in GeneID:100526760. A related pseudogene has been identified on chromosome 18. [provided by RefSeq, Nov 2010]



[View online »](#)

- shRNA Design:** These shRNA constructs were designed against multiple splice variants at this gene locus. To be certain that your variant of interest is targeted, please contact [techsupport@origene.com](mailto:techsupport@origene.com). If you need a special design or shRNA sequence, please utilize our [custom shRNA service](#).
- Performance Guaranteed:** OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.
- For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at [techsupport@origene.com](mailto:techsupport@origene.com). Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).