

Product datasheet for **TG317778**

BAFF Receptor (TNFRSF13C) Human shRNA Plasmid Kit (Locus ID 115650)

Product data:

| | |
|----------------------------------|---|
| Product Type: | shRNA Plasmids |
| Product Name: | BAFF Receptor (TNFRSF13C) Human shRNA Plasmid Kit (Locus ID 115650) |
| Locus ID: | 115650 |
| Synonyms: | BAFF-R; BAFFR; BROMIX; CD268; CVID4; prolixin |
| Vector: | pGFP-V-RS (TR30007) |
| E. coli Selection: | Kanamycin |
| Mammalian Cell Selection: | Puromycin |
| Format: | Retroviral plasmids |
| Components: | TNFRSF13C - Human, 4 unique 29mer shRNA constructs in retroviral GFP vector(Gene ID = 115650). 5µg purified plasmid DNA per construct 29-mer scrambled shRNA cassette in pGFP-V-RS Vector, TR30013, included for free. |
| RefSeq: | NM_052945 , NM_052945.1 , NM_052945.2 , NM_052945.3 , BC105123 , BC105123.1 , BC111585 , BC112030 , NM_052945.4 |
| UniProt ID: | Q96RJ3 |
| Summary: | B cell-activating factor (BAFF) enhances B-cell survival in vitro and is a regulator of the peripheral B-cell population. Overexpression of Baff in mice results in mature B-cell hyperplasia and symptoms of systemic lupus erythematosus (SLE). Also, some SLE patients have increased levels of BAFF in serum. Therefore, it has been proposed that abnormally high levels of BAFF may contribute to the pathogenesis of autoimmune diseases by enhancing the survival of autoreactive B cells. The protein encoded by this gene is a receptor for BAFF and is a type III transmembrane protein containing a single extracellular cysteine-rich domain. It is thought that this receptor is the principal receptor required for BAFF-mediated mature B-cell survival. [provided by RefSeq, Jul 2008] |
| shRNA Design: | These shRNA constructs were designed against multiple splice variants at this gene locus. To be certain that your variant of interest is targeted, please contact techsupport@origene.com . If you need a special design or shRNA sequence, please utilize our custom shRNA service . |



[View online »](#)

**Performance
Guaranteed:**

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.

For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).