

Product datasheet for **TL200451V**

CCK4 (PTK7) Human shRNA Lentiviral Particle (Locus ID 5754)

Product data:

| | |
|---------------|--|
| Product Type: | shRNA Lentiviral Particles |
| Product Name: | CCK4 (PTK7) Human shRNA Lentiviral Particle (Locus ID 5754) |
| Locus ID: | 5754 |
| Synonyms: | CCK-4; CCK4 |
| Vector: | pGFP-C-shLenti (TR30023) |
| Format: | Lentiviral particles |
| Components: | PTK7 - Human shRNA lentiviral particles (4 unique 29mer target-specific shRNA, 1 scramble control), 0.5 ml each, >10 ⁷ TU/ml. |
| RefSeq: | NM_001270398 , NM_002821 , NM_152880 , NM_152881 , NM_152882 , NM_152883 , NR_072997 , NR_072998 , NM_002821.1 , NM_002821.2 , NM_002821.3 , NM_002821.4 , NM_152881.1 , NM_152881.2 , NM_152881.3 , NM_152880.1 , NM_152880.2 , NM_152880.3 , NM_152882.1 , NM_152882.2 , NM_152882.3 , NM_001270398.1 , NM_152883.1 , BC071557 , BC002377 , BC014626 , BC046109 , BM811107 , NM_152881.4 , NM_152882.4 , NM_002821.5 , NM_152880.4 |
| UniProt ID: | Q13308 |
| Summary: | This gene encodes a member of the receptor protein tyrosine kinase family of proteins that transduce extracellular signals across the cell membrane. The encoded protein lacks detectable catalytic tyrosine kinase activity, is involved in the Wnt signaling pathway and plays a role in multiple cellular processes including polarity and adhesion. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene. [provided by RefSeq, Jul 2012] |
| shRNA Design: | These shRNA constructs were designed against multiple splice variants at this gene locus. To be certain that your variant of interest is targeted, please contact techsupport@origene.com . If you need a special design or shRNA sequence, please utilize our custom shRNA service . |



[View online »](#)

**Performance
Guaranteed:**

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.

For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).