

Product datasheet for TL301177

TCF7 Human shRNA Plasmid Kit (Locus ID 6932)

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn


Product Type:	shRNA Plasmids
Product Name:	TCF7 Human shRNA Plasmid Kit (Locus ID 6932)
Locus ID:	6932
Synonyms:	TCF-1
Vector:	pGFP-C-shLenti (TR30023)
E. coli Selection:	Chloramphenicol (34 ug/ml)
Mammalian Cell Selection:	Puromycin
Format:	Lentiviral plasmids
Components:	TCF7 - Human, 4 unique 29mer shRNA constructs in lentiviral GFP vector(Gene ID = 6932). 5µg purified plasmid DNA per construct 29-mer scrambled shRNA cassette in pGFP-C-shLenti Vector, TR30021, included for free.
RefSeq:	<u>NM 001134851, NM 001134852, NM 003202, NM 201632, NM 201633, NM 201634,</u> <u>NM 213648, NR 033449, NM 001346425, NM 001346450, NM 201632.1, NM 201632.2,</u> <u>NM 201632.3, NM 201632.4, NM 213648.1, NM 213648.2, NM 213648.3, NM 213648.4,</u> <u>NM 003202.1, NM 003202.2, NM 003202.3, NM 003202.4, NM 201634.1, NM 201634.2,</u> <u>NM 201634.3, NM 201634.4, NM 001134851.1, NM 001134851.2, NM 001134851.3,</u> <u>NM 001134852.1, NM 201633.1, BC048769, BC048769.1, BC072023, NM 001366502,</u> <u>NM 201634.5, NM 213648.5, NM 003202.5</u>
UniProt ID:	<u>P36402</u>
Summary:	This gene encodes a member of the T-cell factor/lymphoid enhancer-binding factor family of high mobility group (HMG) box transcriptional activators. This gene is expressed predominantly in T-cells and plays a critical role in natural killer cell and innate lymphoid cell development. The encoded protein forms a complex with beta-catenin and activates transcription through a Wnt/beta-catenin signaling pathway. Mice with a knockout of this gene are viable and fertile, but display a block in T-lymphocyte differentiation. Alternative splicing results in multiple transcript variants. Naturally-occurring isoforms lacking the N- terminal beta-catenin interaction domain may act as dominant negative regulators of Wnt signaling. [provided by RefSeq, Oct 2016]



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


TCF7 Human shRNA Plasmid Kit (Locus ID 6932) - TL301177 These shRNA constructs were designed against multiple splice variants at this gene locus. To shRNA Design: be certain that your variant of interest is targeted, please contact <u>techsupport@origene.com</u>. If you need a special design or shRNA sequence, please utilize our custom shRNA service. Performance OriGene guarantees that the sequences in the shRNA expression cassettes are verified to Guaranteed: correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over gPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples. For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data

Product images:



preferred).

GFP signal was observed under microscope at 48 hours after transduction of TL301177A virus into HEK293 cells. TL301177A virus was prepared using lenti-shRNA TL301177A and [TR30037] packaging kit.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US 

GFP signal was observed under microscope at 48 hours after transduction of TL301177B virus into HEK293 cells. TL301177B virus was prepared using lenti-shRNA TL301177B and [TR30037] packaging kit.

GFP signal was observed under microscope at 48 hours after transduction of [TL301177C] virus into HEK293 cells. [TL301177C] virus was prepared using lenti-shRNA [TL301177C] and [TR30037] packaging kit.

GFP signal was observed under microscope at 48 hours after transduction of [TL301177D] virus into HEK293 cells. [TL301177D] virus was prepared using lenti-shRNA [TL301177D] and [TR30037] packaging kit.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US