

Product datasheet for **TL301235V**

TAS2R38 Human shRNA Lentiviral Particle (Locus ID 5726)

Product data:


Product Type:	shRNA Lentiviral Particles
Locus ID:	5726
Synonyms:	PTC; T2R38; T2R61; TH1OT
Vector:	pGFP-C-shLenti (TR30023)
Format:	Lentiviral particles
Components:	TAS2R38 – Human shRNA lentiviral particles (4 unique 29mer target-specific shRNA, 1 scramble control), 0.5 ml each, >10 ⁷ TU/ml.
RefSeq:	NM_176817 , NM_176817.1 , NM_176817.2 , NM_176817.3 , NM_176817.4 , BC104933 , BC104933.1 , BC104937
UniProt ID:	P59533
Summary:	This gene encodes a seven-transmembrane G protein-coupled receptor that controls the ability to taste glucosinolates, a family of bitter-tasting compounds found in plants of the Brassica sp. Synthetic compounds phenylthiocarbamide (PTC) and 6-n-propylthiouracil (PROP) have been identified as ligands for this receptor and have been used to test the genetic diversity of this gene. Although several allelic forms of this gene have been identified worldwide, there are two predominant common forms (taster and non-taster) found outside of Africa. These alleles differ at three nucleotide positions resulting in amino acid changes in the protein (A49P, A262V, and V296I) with the amino acid combination PAV identifying the taster variant (and AVI identifying the non-taster variant). [provided by RefSeq, Oct 2009]
shRNA Design:	These shRNA constructs were designed against multiple splice variants at this gene locus. To be certain that your variant of interest is targeted, please contact techsupport@origene.com . If you need a special design or shRNA sequence, please utilize our custom shRNA service .




Performance Guaranteed: OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.

For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).


Product images:



GFP signal was observed under microscope at 48 hours after transduction of TL301235A virus into HEK293 cells. TL301235A virus was prepared using lenti-shRNA TL301235A and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of TL301235B virus into HEK293 cells. TL301235B virus was prepared using lenti-shRNA TL301235B and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of [TL301235C] virus into HEK293 cells. [TL301235C] virus was prepared using lenti-shRNA [TL301235C] and [TR30037] packaging kit.