

## Product datasheet for **TL301488V**

### SMURF1 Human shRNA Lentiviral Particle (Locus ID 57154)

#### Product data:

Product Type:	shRNA Lentiviral Particles
Product Name:	SMURF1 Human shRNA Lentiviral Particle (Locus ID 57154)
Locus ID:	57154
Vector:	pGFP-C-shLenti (TR30023)
Format:	Lentiviral particles
Components:	SMURF1 - Human shRNA lentiviral particles (4 unique 29mer target-specific shRNA, 1 scramble control), 0.5 ml each, >10 <sup>7</sup> TU/ml.
RefSeq:	<a href="#">NM_001199847</a> , <a href="#">NM_020429</a> , <a href="#">NM_181349</a> , <a href="#">NM_181349.1</a> , <a href="#">NM_181349.2</a> , <a href="#">NM_020429.1</a> , <a href="#">NM_020429.2</a> , <a href="#">NM_001199847.1</a> , <a href="#">BC008574</a> , <a href="#">BC136804</a> , <a href="#">BC144414</a> , <a href="#">BC152468</a> , <a href="#">BM981719</a> , <a href="#">NM_001199847.2</a> , <a href="#">NM_181349.3</a> , <a href="#">NM_020429.3</a>
UniProt ID:	<a href="#">Q9HCE7</a>
Summary:	This gene encodes a ubiquitin ligase that is specific for receptor-regulated SMAD proteins in the bone morphogenetic protein (BMP) pathway. This protein plays a key roll in the regulation of cell motility, cell signalling, and cell polarity. Alternative splicing results in multiple transcript variants encoding different isoforms.[provided by RefSeq, Dec 2010]
shRNA Design:	These shRNA constructs were designed against multiple splice variants at this gene locus. To be certain that your variant of interest is targeted, please contact <a href="mailto:techsupport@origene.com">techsupport@origene.com</a> . If you need a special design or shRNA sequence, please utilize our <a href="#">custom shRNA service</a> .




[View online »](#)


**Performance  
Guaranteed:**

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.


For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at [techsupport@origene.com](mailto:techsupport@origene.com). Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).

**Product images:**


GFP signal was observed under microscope at 48 hours after transduction of TL301488A virus into HEK293 cells. TL301488A virus was prepared using lenti-shRNA TL301488A and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of TL301488B virus into HEK293 cells. TL301488B virus was prepared using lenti-shRNA TL301488B and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of [TL301488C] virus into HEK293 cells. [TL301488C] virus was prepared using lenti-shRNA [TL301488C] and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of [TL301488D] virus into HEK293 cells. [TL301488D] virus was prepared using lenti-shRNA [TL301488D] and [TR30037] packaging kit.