

Product datasheet for TL302210

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

PTGER3 Human shRNA Plasmid Kit (Locus ID 5733)

Product data:

Product Type: shRNA Plasmids

Product Name: PTGER3 Human shRNA Plasmid Kit (Locus ID 5733)

Locus ID: 5733

Synonyms: EP3; EP3-I; EP3-II; EP3-IV; EP3e; MGC27302; MGC141828; MGC141829

Vector: pGFP-C-shLenti (TR30023) **E. coli Selection:** Chloramphenicol (34 ug/ml)

Mammalian Cell

Puromycin

Selection:

Format: Lentiviral plasmids

Components: PTGER3 - Human, 4 unique 29mer shRNA constructs in lentiviral GFP vector(Gene ID = 5733).

5µg purified plasmid DNA per construct

29-mer scrambled shRNA cassette in pGFP-C-shLenti Vector, TR30021, included for free.

RefSeq: NM 000957, NM 001126044, NM 198712, NM 198713, NM 198714, NM 198715, NM 198716,

NM 198717, NM 198718, NM 198719, NM 198720, NR 028292, NR 028293, NR 028294, NM 198716.1, NM 198712.1, NM 198712.2, NM 198714.1, NM 198715.1, NM 198715.2, NM 000957.1, NM 000957.2, NM 198718.1, NM 198717.1, NM 198719.1, NM 001126044.1, NM 198713.1, NM 198720.1, BC024229, BC024229.1, BC118578, BC118659, NM 001126044.2,

NM 198718.2, NM 198717.2, NM 198719.2, NM 198714.2, NM 198716.2, NM 198715.3

UniProt ID: P43115

Summary: The protein encoded by this gene is a member of the G-protein coupled receptor family. This

protein is one of four receptors identified for prostaglandin E2 (PGE2). This receptor may have many biological functions, which involve digestion, nervous system, kidney reabsorption, and uterine contraction activities. Studies of the mouse counterpart suggest that this receptor may also mediate adrenocorticotropic hormone response as well as fever generation in response to exogenous and endogenous stimuli. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Aug 2009]

shRNA Design: These shRNA constructs were designed against multiple splice variants at this gene locus. To

be certain that your variant of interest is targeted, please contact <u>techsupport@origene.com</u>. If you need a special design or shRNA sequence, please utilize our <u>custom shRNA service</u>.






Performance Guaranteed:

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.


For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).

Product images:




GFP signal was observed under microscope at 48 hours after transduction of TL302210A virus into HEK293 cells. TL302210A virus was prepared using lenti-shRNA TL302210A and [TR30037] packaging kit.






GFP signal was observed under microscope at 48 hours after transduction of TL302210B virus into HEK293 cells. TL302210B virus was prepared using lenti-shRNA TL302210B and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of [TL302210C] virus into HEK293 cells. [TL302210C] virus was prepared using lenti-shRNA [TL302210C] and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of [TL302210D] virus into HEK293 cells. [TL302210D] virus was prepared using lenti-shRNA [TL302210D] and [TR30037] packaging kit.