

## Product datasheet for **TL302988**

### **NEDD4 2 (NEDD4L) Human shRNA Plasmid Kit (Locus ID 23327)**

#### **Product data:**

Product Type:	shRNA Plasmids
Product Name:	NEDD4 2 (NEDD4L) Human shRNA Plasmid Kit (Locus ID 23327)
Locus ID:	23327
Synonyms:	hNEDD4-2; NEDD4-2; NEDD4.2; PVNH7; RSP5
Vector:	pGFP-C-shLenti (TR30023)
E. coli Selection:	Chloramphenicol (34 ug/ml)
Mammalian Cell Selection:	Puromycin
Format:	Lentiviral plasmids
Components:	NEDD4L - Human, 4 unique 29mer shRNA constructs in lentiviral GFP vector(Gene ID = 23327). 5µg purified plasmid DNA per construct 29-mer scrambled shRNA cassette in pGFP-C-shLenti Vector, TR30021, included for free.
RefSeq:	<a href="#">NM_001144964</a> , <a href="#">NM_001144965</a> , <a href="#">NM_001144966</a> , <a href="#">NM_001144967</a> , <a href="#">NM_001144968</a> , <a href="#">NM_001144969</a> , <a href="#">NM_001144970</a> , <a href="#">NM_001144971</a> , <a href="#">NM_001243960</a> , <a href="#">NM_015277</a> , <a href="#">NM_015277.1</a> , <a href="#">NM_015277.2</a> , <a href="#">NM_015277.3</a> , <a href="#">NM_015277.4</a> , <a href="#">NM_015277.5</a> , <a href="#">NM_001144965.1</a> , <a href="#">NM_001144966.1</a> , <a href="#">NM_001144966.2</a> , <a href="#">NM_001144967.1</a> , <a href="#">NM_001144967.2</a> , <a href="#">NM_001144968.1</a> , <a href="#">NM_001144969.1</a> , <a href="#">NM_001144970.1</a> , <a href="#">NM_001144970.2</a> , <a href="#">NM_001144971.1</a> , <a href="#">NM_001144964.1</a> , <a href="#">NM_001243960.1</a> , <a href="#">BC000621</a> , <a href="#">BC019345</a> , <a href="#">BC032597</a> , <a href="#">NM_001144966.3</a> , <a href="#">NM_001144967.3</a> , <a href="#">NM_001144969.2</a> , <a href="#">NM_001243960.2</a> , <a href="#">NM_001144968.2</a> , <a href="#">NM_001144971.2</a> , <a href="#">NM_001144970.3</a> , <a href="#">NM_001144965.2</a>
UniProt ID:	<a href="#">Q96PU5</a>
Summary:	This gene encodes a member of the Nedd4 family of HECT domain E3 ubiquitin ligases. HECT domain E3 ubiquitin ligases transfer ubiquitin from E2 ubiquitin-conjugating enzymes to protein substrates, thus targeting specific proteins for lysosomal degradation. The encoded protein mediates the ubiquitination of multiple target substrates and plays a critical role in epithelial sodium transport by regulating the cell surface expression of the epithelial sodium channel, ENaC. Single nucleotide polymorphisms in this gene may be associated with essential hypertension. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene. [provided by RefSeq, Mar 2012]



[View online »](#)

<b>shRNA Design:</b>	These shRNA constructs were designed against multiple splice variants at this gene locus. To be certain that your variant of interest is targeted, please contact <a href="mailto:techsupport@origene.com">techsupport@origene.com</a> . If you need a special design or shRNA sequence, please utilize our <a href="#">custom shRNA service</a> .
<b>Performance Guaranteed:</b>	<p>OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.</p> <p>For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at <a href="mailto:techsupport@origene.com">techsupport@origene.com</a>. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).</p>