

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Product datasheet for TL303089V

## v Myb (MYBL1) Human shRNA Lentiviral Particle (Locus ID 4603)

### **Product data:**

Product Type:	shRNA Lentiviral Particles
Product Name:	v Myb (MYBL1) Human shRNA Lentiviral Particle (Locus ID 4603)
Locus ID:	4603
Synonyms:	A-MYB; AMYB
Vector:	pGFP-C-shLenti (TR30023)
Format:	Lentiviral particles
Components:	MYBL1 - Human shRNA lentiviral particles (4 unique 29mer target-specific shRNA, 1 scramble control), 0.5 ml each, >10^7 TU/ml.
RefSeq:	<u>NM 001080416</u> , <u>NM 001144755</u> , <u>NM 001294282</u> , <u>NM 001080416.1</u> , <u>NM 001080416.2</u> , <u>NM 001080416.3</u> , <u>NM 001144755.1</u> , <u>NM 001144755.2</u> , <u>NM 001294282.1</u> , <u>BC101186</u> , <u>BC032233</u> , <u>BC046930</u> , <u>BC069252</u> , <u>BC101187</u> , <u>BC101188</u> , <u>NM 001294282.2</u> , <u>NM 001080416.4</u> , <u>NM 001144755.3</u>
UniProt ID:	<u>P10243</u>
Summary:	Transcription factor that specifically recognizes the sequence 5'-YAAC[GT]G-3' (PubMed:8058310, PubMed:7987850). Acts as a master regulator of male meiosis by promoting expression of piRNAs: activates expression of both piRNA precursor RNAs and expression of protein-coding genes involved in piRNA metabolism (By similarity). The piRNA metabolic process mediates the repression of transposable elements during meiosis by forming complexes composed of piRNAs and Piwi proteins and governs the methylation and subsequent repression of transposons, which is essential for the germline integrity (By similarity).[UniProtKB/Swiss-Prot Function]
shRNA Design:	These shRNA constructs were designed against multiple splice variants at this gene locus. To be certain that your variant of interest is targeted, please contact <u>techsupport@origene.com</u> . If you need a special design or shRNA sequence, please utilize our <u>custom shRNA service</u> .




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

#### Serigene v Myb (MYBL1) Human shRNA Lentiviral Particle (Locus ID 4603) – TL303089V

Performance Guaranteed: OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.


For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).

#### **Product images:**



GFP signal was observed under microscope at 48 hours after transduction of TL303089A virus into HEK293 cells. TL303089A virus was prepared using lenti-shRNA TL303089A and [TR30037] packaging kit.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



GFP signal was observed under microscope at 48 hours after transduction of TL303089B virus into HEK293 cells. TL303089B virus was prepared using lenti-shRNA TL303089B and [TR30037] packaging kit.

GFP signal was observed under microscope at 48 hours after transduction of [TL303089C] virus into HEK293 cells. [TL303089C] virus was prepared using lenti-shRNA [TL303089C] and [TR30037] packaging kit.

GFP signal was observed under microscope at 48 hours after transduction of [TL303089D] virus into HEK293 cells. [TL303089D] virus was prepared using lenti-shRNA [TL303089D] and [TR30037] packaging kit.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US