

## Product datasheet for **TL303679V**

### **Klotho (KL) Human shRNA Lentiviral Particle (Locus ID 9365)**

#### **Product data:**

<b>Product Type:</b>	shRNA Lentiviral Particles
<b>Product Name:</b>	Klotho (KL) Human shRNA Lentiviral Particle (Locus ID 9365)
<b>Locus ID:</b>	9365
<b>Synonyms:</b>	HFTC3
<b>Vector:</b>	pGFP-C-shLenti (TR30023)
<b>Format:</b>	Lentiviral particles
<b>Components:</b>	KL - Human shRNA lentiviral particles (4 unique 29mer target-specific shRNA, 1 scramble control), 0.5 ml each, >10 <sup>7</sup> TU/ml.
<b>RefSeq:</b>	<a href="#">NM_004795</a> , <a href="#">NM_153683</a> , <a href="#">NM_004795.1</a> , <a href="#">NM_004795.2</a> , <a href="#">NM_004795.3</a> , <a href="#">NM_153683.2</a>
<b>UniProt ID:</b>	<a href="#">Q9UEF7</a>
<b>Summary:</b>	This gene encodes a type-I membrane protein that is related to beta-glucosidases. Reduced production of this protein has been observed in patients with chronic renal failure (CRF), and this may be one of the factors underlying the degenerative processes (e.g., arteriosclerosis, osteoporosis, and skin atrophy) seen in CRF. Also, mutations within this protein have been associated with ageing and bone loss. [provided by RefSeq, Jul 2008]
<b>shRNA Design:</b>	These shRNA constructs were designed against multiple splice variants at this gene locus. To be certain that your variant of interest is targeted, please contact <a href="mailto:techsupport@origene.com">techsupport@origene.com</a> . If you need a special design or shRNA sequence, please utilize our <a href="#">custom shRNA service</a> .




[View online »](#)


**Performance  
Guaranteed:**

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.


For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at [techsupport@origene.com](mailto:techsupport@origene.com). Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).

**Product images:**


GFP signal was observed under microscope at 48 hours after transduction of TL303679A virus into HEK293 cells. TL303679A virus was prepared using lenti-shRNA TL303679A and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of TL303679B virus into HEK293 cells. TL303679B virus was prepared using lenti-shRNA TL303679B and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of [TL303679C] virus into HEK293 cells. [TL303679C] virus was prepared using lenti-shRNA [TL303679C] and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of [TL303679D] virus into HEK293 cells. [TL303679D] virus was prepared using lenti-shRNA [TL303679D] and [TR30037] packaging kit.