

# Product datasheet for TL304358V

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## **GDNF Receptor alpha 1 (GFRA1) Human shRNA Lentiviral Particle (Locus ID 2674)**

**Product data:** 

**Product Type:** shRNA Lentiviral Particles

**Product Name:** GDNF Receptor alpha 1 (GFRA1) Human shRNA Lentiviral Particle (Locus ID 2674)

Locus ID: 2674

Synonyms: GDNFR; GDNFRA; GFR-ALPHA-1; GFRalpha-1; RET1L; RETL1; TRNR1

**Vector:** pGFP-C-shLenti (TR30023)

Format: Lentiviral particles

**Components:** GFRA1 - Human shRNA lentiviral particles (4 unique 29mer target-specific shRNA, 1 scramble

control), 0.5 ml each, >10^7 TU/ml.

RefSeq: NM 001145453, NM 005264, NM 145793, NM 001348096, NM 001348097, NM 001348098,

NM 001348099, NM 145793.1, NM 145793.2, NM 145793.3, NM 145793.4, NM 005264.1,

NM 005264.2, NM 005264.3, NM 005264.4, NM 005264.5, NM 001145453.1,

NM 001145453.2, BC014962, BC014962.1, BM675677, NM 005264.8, NM 001145453.4

UniProt ID: P56159

**Summary:** This gene encodes a member of the glial cell line-derived neurotrophic factor receptor

(GDNFR) family of proteins. The encoded preproprotein is proteolytically processed to generate the mature receptor. Glial cell line-derived neurotrophic factor (GDNF) and

neurturin (NTN) are two structurally related, potent neurotrophic factors that play key roles in

the control of neuron survival and differentiation. This receptor is a

glycosylphosphatidylinositol (GPI)-linked cell surface receptor for both GDNF and NTN, and mediates activation of the RET tyrosine kinase receptor. This gene is a candidate gene for Hirschsprung disease. Alternative splicing results in multiple transcript variants, at least one of which encodes a preproprotein that is proteolytically processed. [provided by RefSeq, Jan

2016]

**shRNA Design:** These shRNA constructs were designed against multiple splice variants at this gene locus. To

be certain that your variant of interest is targeted, please contact <u>techsupport@origene.com</u>. If you need a special design or shRNA sequence, please utilize our <u>custom shRNA service</u>.






### Performance Guaranteed:

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.


For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).

## **Product images:**




GFP signal was observed under microscope at 48 hours after transduction of TL304358A virus into HEK293 cells. TL304358A virus was prepared using lenti-shRNA TL304358A and [TR30037] packaging kit.






GFP signal was observed under microscope at 48 hours after transduction of TL304358B virus into HEK293 cells. TL304358B virus was prepared using lenti-shRNA TL304358B and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of [TL304358C] virus into HEK293 cells. [TL304358C] virus was prepared using lenti-shRNA [TL304358C] and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of [TL304358D] virus into HEK293 cells. [TL304358D] virus was prepared using lenti-shRNA [TL304358D] and [TR30037] packaging kit.