

Product datasheet for **TL304691V**


GTSF1 Human shRNA Lentiviral Particle (Locus ID 121355)

Product data:


Product Type:	shRNA Lentiviral Particles
Product Name:	GTSF1 Human shRNA Lentiviral Particle (Locus ID 121355)
Locus ID:	121355
Synonyms:	Cue110; FAM112B
Vector:	pGFP-C-shLenti (TR30023)
Format:	Lentiviral particles
Components:	GTSF1 - Human shRNA lentiviral particles (4 unique 29mer target-specific shRNA, 1 scramble control), 0.5 ml each, $>10^7$ TU/ml.
RefSeq:	NM_144594 , NM_144594.1 , NM_144594.2 , BC021179 , BC105587
UniProt ID:	Q8WW33
Summary:	Required for spermatogenesis and is involved in the suppression of retrotransposon transcription in male germ cells.[UniProtKB/Swiss-Prot Function]
shRNA Design:	These shRNA constructs were designed against multiple splice variants at this gene locus. To be certain that your variant of interest is targeted, please contact techsupport@origene.com . If you need a special design or shRNA sequence, please utilize our custom shRNA service .
Performance Guaranteed:	<p>OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.</p> <p>For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).</p>




[View online »](#)

Product images:


GFP signal was observed under microscope at 48 hours after transduction of TL304691A virus into HEK293 cells. TL304691A virus was prepared using lenti-shRNA TL304691A and [TR30037] packaging kit.




GFP signal was observed under microscope at 48 hours after transduction of TL304691A virus into HEK293 cells. TL304691A virus was prepared using lenti-shRNA TL304691A and [TR30037] packaging kit.




GFP signal was observed under microscope at 48 hours after transduction of TL304691B virus into HEK293 cells. TL304691B virus was prepared using lenti-shRNA TL304691B and [TR30037] packaging kit.




GFP signal was observed under microscope at 48 hours after transduction of TL304691B virus into HEK293 cells. TL304691B virus was prepared using lenti-shRNA TL304691B and [TR30037] packaging kit.




GFP signal was observed under microscope at 48 hours after transduction of [TL304691C] virus into HEK293 cells. [TL304691C] virus was prepared using lenti-shRNA [TL304691C] and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of [TL304691C] virus into HEK293 cells. [TL304691C] virus was prepared using lenti-shRNA [TL304691C] and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of [TL304691D] virus into HEK293 cells. [TL304691D] virus was prepared using lenti-shRNA [TL304691D] and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of [TL304691D] virus into HEK293 cells. [TL304691D] virus was prepared using lenti-shRNA [TL304691D] and [TR30037] packaging kit.