

## Product datasheet for **TL305215**

### CRLF3 Human shRNA Plasmid Kit (Locus ID 51379)

#### Product data:

Product Type:	shRNA Plasmids
Product Name:	CRLF3 Human shRNA Plasmid Kit (Locus ID 51379)
Locus ID:	51379
Synonyms:	CREME-9; CREME9; CRLM9; CYTOR4; FRWS; p48.2
Vector:	pGFP-C-shLenti (TR30023)
E. coli Selection:	Chloramphenicol (34 ug/ml)
Mammalian Cell Selection:	Puromycin
Format:	Lentiviral plasmids
Components:	CRLF3 - Human, 4 unique 29mer shRNA constructs in lentiviral GFP vector(Gene ID = 51379). 5µg purified plasmid DNA per construct 29-mer scrambled shRNA cassette in pGFP-C-shLenti Vector, TR30021, included for free.
RefSeq:	<a href="#">NM_015986</a> , <a href="#">NR_073118</a> , <a href="#">NM_015986.1</a> , <a href="#">NM_015986.2</a> , <a href="#">NM_015986.3</a> , <a href="#">BC023567</a> , <a href="#">NM_015986.4</a>
UniProt ID:	<a href="#">Q8IUJ8</a>
Summary:	This gene encodes a cytokine receptor-like factor that may negatively regulate cell cycle progression at the G0/G1 phase. Studies of the related rat protein suggest that it may regulate neuronal morphology and synaptic vesicle biogenesis. This gene is one of several genes located in the neurofibromatosis type I tumor suppressor region on the q arm of chromosome 17, a region that is subject to microdeletions, duplications, chromosomal breaks and rearrangements. Alternative splicing of this gene results in multiple transcript variants. Related pseudogenes have been identified on chromosomes 2 and 5. [provided by RefSeq, Aug 2012]
shRNA Design:	These shRNA constructs were designed against multiple splice variants at this gene locus. To be certain that your variant of interest is targeted, please contact <a href="mailto:techsupport@origene.com">techsupport@origene.com</a> . If you need a special design or shRNA sequence, please utilize our <a href="#">custom shRNA service</a> .




[View online »](#)


**Performance  
Guaranteed:**

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.


For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at [techsupport@origene.com](mailto:techsupport@origene.com). Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).

**Product images:**


GFP signal was observed under microscope at 48 hours after transduction of TL305215A virus into HEK293 cells. TL305215A virus was prepared using lenti-shRNA TL305215A and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of TL305215B virus into HEK293 cells. TL305215B virus was prepared using lenti-shRNA TL305215B and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of [TL305215C] virus into HEK293 cells. [TL305215C] virus was prepared using lenti-shRNA [TL305215C] and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of [TL305215D] virus into HEK293 cells. [TL305215D] virus was prepared using lenti-shRNA [TL305215D] and [TR30037] packaging kit.