

## **Product datasheet for TL305323**

## **OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

## **CNOT1 Human shRNA Plasmid Kit (Locus ID 23019)**

**Product data:** 

**Product Type:** shRNA Plasmids

**Product Name:** CNOT1 Human shRNA Plasmid Kit (Locus ID 23019)

**Locus ID:** 23019

Synonyms: AD-005; CDC39; HPE12; NOT1; NOT1H

**Vector:** pGFP-C-shLenti (TR30023)

**E. coli Selection:** Chloramphenicol (34 ug/ml)

Mammalian Cell

Selection:

Puromycin

Format: Lentiviral plasmids

**Components:** CNOT1 - Human, 4 unique 29mer shRNA constructs in lentiviral GFP vector(Gene ID = 23019).

5µg purified plasmid DNA per construct

29-mer scrambled shRNA cassette in pGFP-C-shLenti Vector, TR30021, included for free.

RefSeq: NM 001265612, NM 016284, NM 206999, NR 049763, NM 206999.1, NM 206999.2,

NM 016284.1, NM 016284.2, NM 016284.3, NM 016284.4, NM 001265612.1, BC040523,

BC040523.1, BC000779, BC011861, BC024317, BC027969, BM023419, BM968443,

NM 001265612.2, NM 016284.5, NM 206999.3

UniProt ID: A5YKK6

**Summary:** Scaffolding component of the CCR4-NOT complex which is one of the major cellular mRNA

deadenylases and is linked to various cellular processes including bulk mRNA degradation, miRNA-mediated repression, translational repression during translational initiation and general transcription regulation. Additional complex functions may be a consequence of its influence on mRNA expression. Its scaffolding function implies its interaction with the catalytic complex module and diverse RNA-binding proteins mediating the complex recruitment to selected mRNA 3' UTRs. Involved in degradation of AU-rich element (ARE)-containing mRNAs probably via association with ZFP36. Mediates the recruitment of the CCR4-NOT complex to miRNA targets and to the RISC complex via association with TNRC6A, TNRC6B or TNRC6C. Acts as a transcriptional repressor. Represses the ligand-dependent transcriptional activation by nuclear receptors. Involved in the maintenance of embryonic

stem (ES) cell identity.[UniProtKB/Swiss-Prot Function]







shRNA Design:

These shRNA constructs were designed against multiple splice variants at this gene locus. To be certain that your variant of interest is targeted, please contact <a href="mailto:techsupport@origene.com">techsupport@origene.com</a>. If you need a special design or shRNA sequence, please utilize our <a href="mailto:custom shRNA service">custom shRNA service</a>.

Performance Guaranteed: OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.

For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).