

Product datasheet for **TL305382V**

NLRP3 Human shRNA Lentiviral Particle (Locus ID 114548)

Product data:

Product Type:	shRNA Lentiviral Particles
Product Name:	NLRP3 Human shRNA Lentiviral Particle (Locus ID 114548)
Locus ID:	114548
Synonyms:	AGTAVPRL; All; AVP; C1orf7; CIAS1; CLR1.1; DFNA34; FCAS; FCAS1; FCU; KEFH; MWS; NALP3; PYPAF1
Vector:	pGFP-C-shLenti (TR30023)
Format:	Lentiviral particles
Components:	NLRP3 - Human shRNA lentiviral particles (4 unique 29mer target-specific shRNA, 1 scramble control), 0.5 ml each, >10 ⁷ TU/ml.
RefSeq:	NM_001079821 , NM_001127461 , NM_001127462 , NM_001243133 , NM_004895 , NM_183395 , NM_001079821.1 , NM_001079821.2 , NM_004895.1 , NM_004895.2 , NM_004895.3 , NM_004895.4 , NM_183395.1 , NM_183395.2 , NM_001127461.1 , NM_001127461.2 , NM_001127462.1 , NM_001127462.2 , NM_001243133.1 , BC117211 , BC143359 , BC143362 , BC143363 , NM_004895.5
UniProt ID:	Q96P20
Summary:	<p>This gene encodes a pyrin-like protein containing a pyrin domain, a nucleotide-binding site (NBS) domain, and a leucine-rich repeat (LRR) motif. This protein interacts with the apoptosis-associated speck-like protein PYCARD/ASC, which contains a caspase recruitment domain, and is a member of the NLRP3 inflammasome complex. This complex functions as an upstream activator of NF-kappaB signaling, and it plays a role in the regulation of inflammation, the immune response, and apoptosis. The SARS-CoV 3a protein, a transmembrane pore-forming viroporin, has been shown to activate the NLRP3 inflammasome via the formation of ion channels in macrophages. Mutations in this gene are associated with familial cold autoinflammatory syndrome (FCAS), Muckle-Wells syndrome (MWS), chronic infantile neurological cutaneous and articular (CINCA) syndrome, neonatal-onset multisystem inflammatory disease (NOMID), keratoendotheliitis fugax hereditarian, and deafness, autosomal dominant 34, with or without inflammation. Multiple alternatively spliced transcript variants encoding distinct isoforms have been identified for this gene. Alternative 5' UTR structures are suggested by available data; however, insufficient evidence is available to determine if all of the represented 5' UTR splice patterns are biologically valid. [provided by RefSeq, Aug 2020]</p>




[View online »](#)

shRNA Design: These shRNA constructs were designed against multiple splice variants at this gene locus. To be certain that your variant of interest is targeted, please contact techsupport@origene.com. If you need a special design or shRNA sequence, please utilize our [custom shRNA service](#).


Performance Guaranteed: OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.

For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).


Product images:



GFP signal was observed under microscope at 48 hours after transduction of TL305382A virus into HEK293 cells. TL305382A virus was prepared using lenti-shRNA TL305382A and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of TL305382B virus into HEK293 cells. TL305382B virus was prepared using lenti-shRNA TL305382B and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of [TL305382C] virus into HEK293 cells. [TL305382C] virus was prepared using lenti-shRNA [TL305382C] and [TR30037] packaging kit.