

## Product datasheet for **TL308731**

### DR3 (TNFRSF25) Human shRNA Plasmid Kit (Locus ID 8718)

#### Product data:

Product Type:	shRNA Plasmids
Product Name:	DR3 (TNFRSF25) Human shRNA Plasmid Kit (Locus ID 8718)
Locus ID:	8718
Synonyms:	APO-3; DDR3; DR3; GEF720; LARD; PLEKHG5; TNFRSF12; TR3; TRAMP; WSL-1; WSL-LR
Vector:	pGFP-C-shLenti (TR30023)
E. coli Selection:	Chloramphenicol (34 ug/ml)
Mammalian Cell Selection:	Puromycin
Format:	Lentiviral plasmids
Components:	TNFRSF25 - Human, 4 unique 29mer shRNA constructs in lentiviral GFP vector(Gene ID = 8718). 5µg purified plasmid DNA per construct 29-mer scrambled shRNA cassette in pGFP-C-shLenti Vector, TR30021, included for free.
RefSeq:	<a href="#">NM_001039664</a> , <a href="#">NM_003790</a> , <a href="#">NM_148965</a> , <a href="#">NM_148966</a> , <a href="#">NM_148967</a> , <a href="#">NM_148968</a> , <a href="#">NM_148969</a> , <a href="#">NM_148970</a> , <a href="#">NM_148971</a> , <a href="#">NM_148972</a> , <a href="#">NM_148973</a> , <a href="#">NM_148974</a> , <a href="#">NM_001039664.1</a> , <a href="#">NM_003790.1</a> , <a href="#">NM_003790.2</a> , <a href="#">NM_148965.1</a> , <a href="#">NM_148970.1</a> , <a href="#">NM_148967.1</a> , <a href="#">NM_148966.1</a> , <a href="#">NM_148969.1</a> , <a href="#">NM_148972.1</a> , <a href="#">BC117189</a> , <a href="#">BC143886</a> , <a href="#">BM666370</a> , <a href="#">NM_003790.3</a>
UniProt ID:	<a href="#">Q93038</a>
Summary:	The protein encoded by this gene is a member of the TNF-receptor superfamily. This receptor is expressed preferentially in the tissues enriched in lymphocytes, and it may play a role in regulating lymphocyte homeostasis. This receptor has been shown to stimulate NF-kappa B activity and regulate cell apoptosis. The signal transduction of this receptor is mediated by various death domain containing adaptor proteins. Knockout studies in mice suggested the role of this gene in the removal of self-reactive T cells in the thymus. Multiple alternatively spliced transcript variants of this gene encoding distinct isoforms have been reported, most of which are potentially secreted molecules. The alternative splicing of this gene in B and T cells encounters a programmed change upon T-cell activation, which predominantly produces full-length, membrane bound isoforms, and is thought to be involved in controlling lymphocyte proliferation induced by T-cell activation. [provided by RefSeq, Jul 2008]



[View online »](#)

**shRNA Design:**

These shRNA constructs were designed against multiple splice variants at this gene locus. To be certain that your variant of interest is targeted, please contact [techsupport@origene.com](mailto:techsupport@origene.com). If you need a special design or shRNA sequence, please utilize our [custom shRNA service](#).

**Performance Guaranteed:**

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.

For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at [techsupport@origene.com](mailto:techsupport@origene.com). Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).