

Product datasheet for **TL309194**

SOCS2 Human shRNA Plasmid Kit (Locus ID 8835)

Product data:

| | |
|---------------------------|--|
| Product Type: | shRNA Plasmids |
| Product Name: | SOCS2 Human shRNA Plasmid Kit (Locus ID 8835) |
| Locus ID: | 8835 |
| Synonyms: | CIS2; Cish2; SOCS-2; SSI-2; SSI2; STAT12 |
| Vector: | pGFP-C-shLenti (TR30023) |
| E. coli Selection: | Chloramphenicol (34 ug/ml) |
| Mammalian Cell Selection: | Puromycin |
| Format: | Lentiviral plasmids |
| Components: | SOCS2 - Human, 4 unique 29mer shRNA constructs in lentiviral GFP vector(Gene ID = 8835). 5µg purified plasmid DNA per construct 29-mer scrambled shRNA cassette in pGFP-C-shLenti Vector, TR30021, included for free. |
| RefSeq: | <u>NM_001270467</u> , <u>NM_001270468</u> , <u>NM_001270469</u> , <u>NM_001270470</u> , <u>NM_001270471</u> , <u>NM_003877</u> , <u>NM_003877.2</u> , <u>NM_003877.3</u> , <u>NM_003877.4</u> , <u>NM_001270467.1</u> , <u>NM_001270468.1</u> , <u>NM_001270469.1</u> , <u>NM_001270470.1</u> , <u>NM_001270471.1</u> , <u>BC010399</u> , <u>BC010399.1</u> , <u>BC070039</u> , <u>NM_001270467.2</u> , <u>NM_001270469.2</u> , <u>NM_001270471.2</u> , <u>NM_003877.5</u> , <u>NM_001270468.2</u> |
| UniProt ID: | <u>O14508</u> |
| Summary: | This gene encodes a member of the suppressor of cytokine signaling (SOCS) family. SOCS family members are cytokine-inducible negative regulators of cytokine receptor signaling via the Janus kinase/signal transducer and activation of transcription pathway (the JAK/STAT pathway). SOCS family proteins interact with major molecules of signaling complexes to block further signal transduction, in part, by proteasomal depletion of receptors or signal-transducing proteins via ubiquitination. The expression of this gene can be induced by a subset of cytokines, including erythropoietin, GM-CSF, IL10, interferon (IFN)-gamma and by cytokine receptors such as growth hormone receptor. The protein encoded by this gene interacts with the cytoplasmic domain of insulin-like growth factor-1 receptor (IGF1R) and is thought to be involved in the regulation of IGF1R mediated cell signaling. This gene has pseudogenes on chromosomes 20 and 22. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jul 2012] |



[View online »](#)

shRNA Design:

These shRNA constructs were designed against multiple splice variants at this gene locus. To be certain that your variant of interest is targeted, please contact techsupport@origene.com. If you need a special design or shRNA sequence, please utilize our [custom shRNA service](#).

Performance Guaranteed:

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.

For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).