

Product datasheet for **TL310379V**

PLAT Human shRNA Lentiviral Particle (Locus ID 5327)

Product data:

Product Type:	shRNA Lentiviral Particles
Product Name:	PLAT Human shRNA Lentiviral Particle (Locus ID 5327)
Locus ID:	5327
Synonyms:	T-PA; TPA
Vector:	pGFP-C-shLenti (TR30023)
Format:	Lentiviral particles
Components:	PLAT - Human shRNA lentiviral particles (4 unique 29mer target-specific shRNA, 1 scramble control), 0.5 ml each, >10 ⁷ TU/ml.
RefSeq:	NM_000930 , NM_000931 , NM_001319189 , NM_033011 , NM_033011.1 , NM_033011.2 , NM_033011.3 , NM_000930.1 , NM_000930.2 , NM_000930.3 , NM_000930.4 , NM_000931.1 , BC002795 , BC002795.2 , BC095403 , BC095403.1 , BC007231 , BC013968 , BC018636 , NM_033011.4 , NM_000930.5
UniProt ID:	P00750
Summary:	This gene encodes tissue-type plasminogen activator, a secreted serine protease that converts the proenzyme plasminogen to plasmin, a fibrinolytic enzyme. The encoded preproprotein is proteolytically processed by plasmin or trypsin to generate heavy and light chains. These chains associate via disulfide linkages to form the heterodimeric enzyme. This enzyme plays a role in cell migration and tissue remodeling. Increased enzymatic activity causes hyperfibrinolysis, which manifests as excessive bleeding, while decreased activity leads to hypofibrinolysis, which can result in thrombosis or embolism. Alternative splicing of this gene results in multiple transcript variants, at least one of which encodes an isoform that is proteolytically processed. [provided by RefSeq, Jan 2016]
shRNA Design:	These shRNA constructs were designed against multiple splice variants at this gene locus. To be certain that your variant of interest is targeted, please contact techsupport@origene.com . If you need a special design or shRNA sequence, please utilize our custom shRNA service .



[View online »](#)

**Performance
Guaranteed:**

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.

For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).