

Product datasheet for **TL310568**

MED15 Human shRNA Plasmid Kit (Locus ID 51586)

Product data:

Product Type:	shRNA Plasmids
Product Name:	MED15 Human shRNA Plasmid Kit (Locus ID 51586)
Locus ID:	51586
Synonyms:	ARC105; CAG7A; CTG7A; PCQAP; TIG-1; TIG1; TNRC7
Vector:	pGFP-C-shLenti (TR30023)
E. coli Selection:	Chloramphenicol (34 ug/ml)
Mammalian Cell Selection:	Puromycin
Format:	Lentiviral plasmids
Components:	MED15 - Human, 4 unique 29mer shRNA constructs in lentiviral GFP vector(Gene ID = 51586). 5µg purified plasmid DNA per construct 29-mer scrambled shRNA cassette in pGFP-C-shLenti Vector, TR30021, included for free.
RefSeq:	NM_001003891 , NM_001293234 , NM_001293235 , NM_001293236 , NM_001293237 , NM_015889 , NM_015889.2 , NM_015889.3 , NM_015889.4 , NM_001003891.1 , NM_001003891.2 , NM_001293236.1 , NM_001293235.1 , NM_001293237.1 , NM_001293234.1 , BC013985 , BC013985.2 , BC003078 , BC005027 , BC007529 , BC017110 , NM_001293235.2 , NM_001293237.2 , NM_001003891.3 , NM_015889.5 , NM_001293236.2 , NM_001293234.2
UniProt ID:	Q96RN5
Summary:	The protein encoded by this gene is a subunit of the multiprotein complexes PC2 and ARC/DRIP and may function as a transcriptional coactivator in RNA polymerase II transcription. This gene contains stretches of trinucleotide repeats and is located in the chromosome 22 region which is deleted in DiGeorge syndrome. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jun 2014]
shRNA Design:	These shRNA constructs were designed against multiple splice variants at this gene locus. To be certain that your variant of interest is targeted, please contact techsupport@origene.com . If you need a special design or shRNA sequence, please utilize our custom shRNA service .




[View online »](#)


**Performance
Guaranteed:**

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.


For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).

Product images:


GFP signal was observed under microscope at 48 hours after transduction of TL310568A virus into HEK293 cells. TL310568A virus was prepared using lenti-shRNA TL310568A and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of TL310568B virus into HEK293 cells. TL310568B virus was prepared using lenti-shRNA TL310568B and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of [TL310568C] virus into HEK293 cells. [TL310568C] virus was prepared using lenti-shRNA [TL310568C] and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of [TL310568D] virus into HEK293 cells. [TL310568D] virus was prepared using lenti-shRNA [TL310568D] and [TR30037] packaging kit.