

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for TL311748

Legumain (LGMN) Human shRNA Plasmid Kit (Locus ID 5641)

Product data:

Product Type:	shRNA Plasmids
Product Name:	Legumain (LGMN) Human shRNA Plasmid Kit (Locus ID 5641)
Locus ID:	5641
Synonyms:	AEP; LGMN1; PRSC1
Vector:	pGFP-C-shLenti (TR30023)
E. coli Selection:	Chloramphenicol (34 ug/ml)
Mammalian Cell Selection:	Puromycin
Format:	Lentiviral plasmids
Components:	LGMN - Human, 4 unique 29mer shRNA constructs in lentiviral GFP vector(Gene ID = 5641). 5µg purified plasmid DNA per construct 29-mer scrambled shRNA cassette in pGFP-C-shLenti Vector, TR30021, included for free.
RefSeq:	<u>NM 001008530</u> , <u>NM 005606</u> , <u>NM 001008530.1</u> , <u>NM 001008530.2</u> , <u>NM 005606.1</u> , <u>NM 005606.2</u> , <u>NM 005606.3</u> , <u>NM 005606.4</u> , <u>NM 005606.5</u> , <u>NM 005606.6</u> , <u>BC003061</u> , <u>BC003061.2</u> , <u>BC013678</u> , <u>BM838821</u> , <u>NM 001363699</u> , <u>NM 001363696</u> , <u>NM 005606.7</u> , <u>NM 001008530.3</u>
UniProt ID:	<u>Q99538</u>
Summary:	This gene encodes a cysteine protease that has a strict specificity for hydrolysis of asparaginyl bonds. This enzyme may be involved in the processing of bacterial peptides and endogenous proteins for MHC class II presentation in the lysosomal/endosomal systems. Enzyme activation is triggered by acidic pH and appears to be autocatalytic. Protein expression occurs after monocytes differentiate into dendritic cells. A fully mature, active enzyme is produced following lipopolysaccharide expression in mature dendritic cells. Overexpression of this gene may be associated with the majority of solid tumor types. This gene has a pseudogene on chromosome 13. Several alternatively spliced transcript variants have been described, but the biological validity of only two has been determined. These two variants encode the same isoform. [provided by RefSeq, Jul 2008]
shRNA Design:	These shRNA constructs were designed against multiple splice variants at this gene locus. To be certain that your variant of interest is targeted, please contact <u>techsupport@origene.com</u> . If you need a special design or shRNA sequence, please utilize our <u>custom shRNA service</u> .




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Section 2017 Content of the section of the section

Performance Guaranteed: OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.


For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).

Product images:



GFP signal was observed under microscope at 48 hours after transduction of TL311748A virus into HEK293 cells. TL311748A virus was prepared using lenti-shRNA TL311748A and [TR30037] packaging kit.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



GFP signal was observed under microscope at 48 hours after transduction of TL311748B virus into HEK293 cells. TL311748B virus was prepared using lenti-shRNA TL311748B and [TR30037] packaging kit.

GFP signal was observed under microscope at 48 hours after transduction of [TL311748C] virus into HEK293 cells. [TL311748C] virus was prepared using lenti-shRNA [TL311748C] and [TR30037] packaging kit.

GFP signal was observed under microscope at 48 hours after transduction of [TL311748D] virus into HEK293 cells. [TL311748D] virus was prepared using lenti-shRNA [TL311748D] and [TR30037] packaging kit.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US