

# **Product datasheet for TL312085V**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### CD51 (ITGAV) Human shRNA Lentiviral Particle (Locus ID 3685)

#### **Product data:**

**Product Type:** shRNA Lentiviral Particles

Product Name: CD51 (ITGAV) Human shRNA Lentiviral Particle (Locus ID 3685)

Locus ID: 3685

Synonyms: CD51; MSK8; VNRA; VTNR

Vector: pGFP-C-shLenti (TR30023)

Format: Lentiviral particles

**Components:** ITGAV - Human shRNA lentiviral particles (4 unique 29mer target-specific shRNA, 1 scramble

control), 0.5 ml each, >10^7 TU/ml.

RefSeq: NM 001144999, NM 001145000, NM 002210, NM 002210.1, NM 002210.3, NM 002210.4,

NM 001144999.1, NM 001144999.2, NM 001145000.1, NM 001145000.2, BC047454,

BC072686, BC126231, BC136442, BC144100

UniProt ID: P06756

**Summary:** The product of this gene belongs to the integrin alpha chain family. Integrins are

heterodimeric integral membrane proteins composed of an alpha subunit and a beta subunit

that function in cell surface adhesion and signaling. The encoded preproprotein is proteolytically processed to generate light and heavy chains that comprise the alpha V subunit. This subunit associates with beta 1, beta 3, beta 5, beta 6 and beta 8 subunits. The heterodimer consisting of alpha V and beta 3 subunits is also known as the vitronectin receptor. This integrin may regulate angiogenesis and cancer progression. Alternative splicing

results in multiple transcript variants. Note that the integrin alpha 5 and integrin alpha V

subunits are encoded by distinct genes. [provided by RefSeq, Oct 2015]

shRNA Design: These shRNA constructs were designed against multiple splice variants at this gene locus. To

be certain that your variant of interest is targeted, please contact <u>techsupport@origene.com</u>. If you need a special design or shRNA sequence, please utilize our <u>custom shRNA service</u>.






### Performance Guaranteed:

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.


For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).

## **Product images:**




GFP signal was observed under microscope at 48 hours after transduction of TL312085A virus into HEK293 cells. TL312085A virus was prepared using lenti-shRNA TL312085A and [TR30037] packaging kit.






GFP signal was observed under microscope at 48 hours after transduction of TL312085A virus into HEK293 cells. TL312085A virus was prepared using lenti-shRNA TL312085A and [TR30037] packaging kit.




GFP signal was observed under microscope at 48 hours after transduction of TL312085B virus into HEK293 cells. TL312085B virus was prepared using lenti-shRNA TL312085B and [TR30037] packaging kit.




GFP signal was observed under microscope at 48 hours after transduction of TL312085B virus into HEK293 cells. TL312085B virus was prepared using lenti-shRNA TL312085B and [TR30037] packaging kit.






GFP signal was observed under microscope at 48 hours after transduction of [TL312085C] virus into HEK293 cells. [TL312085C] virus was prepared using lenti-shRNA [TL312085C] and [TR30037] packaging kit.




GFP signal was observed under microscope at 48 hours after transduction of [TL312085C] virus into HEK293 cells. [TL312085C] virus was prepared using lenti-shRNA [TL312085C] and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of [TL312085D] virus into HEK293 cells. [TL312085D] virus was prepared using lenti-shRNA [TL312085D] and [TR30037] packaging kit.





GFP signal was observed under microscope at 48 hours after transduction of [TL312085D] virus into HEK293 cells. [TL312085D] virus was prepared using lenti-shRNA [TL312085D] and [TR30037] packaging kit.