

Product datasheet for **TL312388V**

Heme Oxygenase 1 (HMOX1) Human shRNA Lentiviral Particle (Locus ID 3162)

Product data:

Product Type:	shRNA Lentiviral Particles
Product Name:	Heme Oxygenase 1 (HMOX1) Human shRNA Lentiviral Particle (Locus ID 3162)
Locus ID:	3162
Synonyms:	bK286B10; HMOX1D; HO-1; HSP32
Vector:	pGFP-C-shLenti (TR30023)
Format:	Lentiviral particles
Components:	HMOX1 - Human shRNA lentiviral particles (4 unique 29mer target-specific shRNA, 1 scramble control), 0.5 ml each, >10 ⁷ TU/ml.
RefSeq:	NM_002133 , NM_002133.1 , NM_002133.2 , BC001491 , BC001491.2 , NM_002133.3
UniProt ID:	P09601
Summary:	Heme oxygenase, an essential enzyme in heme catabolism, cleaves heme to form biliverdin, which is subsequently converted to bilirubin by biliverdin reductase, and carbon monoxide, a putative neurotransmitter. Heme oxygenase activity is induced by its substrate heme and by various nonheme substances. Heme oxygenase occurs as 2 isozymes, an inducible heme oxygenase-1 and a constitutive heme oxygenase-2. HMOX1 and HMOX2 belong to the heme oxygenase family. [provided by RefSeq, Jul 2008]
shRNA Design:	These shRNA constructs were designed against multiple splice variants at this gene locus. To be certain that your variant of interest is targeted, please contact techsupport@origene.com . If you need a special design or shRNA sequence, please utilize our custom shRNA service .




[View online »](#)


**Performance
Guaranteed:**

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.


For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).

Product images:


GFP signal was observed under microscope at 48 hours after transduction of TL312388A virus into HEK293 cells. TL312388A virus was prepared using lenti-shRNA TL312388A and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of TL312388B virus into HEK293 cells. TL312388B virus was prepared using lenti-shRNA TL312388B and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of [TL312388C] virus into HEK293 cells. [TL312388C] virus was prepared using lenti-shRNA [TL312388C] and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of [TL312388D] virus into HEK293 cells. [TL312388D] virus was prepared using lenti-shRNA [TL312388D] and [TR30037] packaging kit.