

Product datasheet for **TL312415V**

Hexokinase II (HK2) Human shRNA Lentiviral Particle (Locus ID 3099)

Product data:

Product Type:	shRNA Lentiviral Particles
Product Name:	Hexokinase II (HK2) Human shRNA Lentiviral Particle (Locus ID 3099)
Locus ID:	3099
Synonyms:	HKII; HXK2
Vector:	pGFP-C-shLenti (TR30023)
Format:	Lentiviral particles
Components:	HK2 - Human shRNA lentiviral particles (4 unique 29mer target-specific shRNA, 1 scramble control), 0.5 ml each, >10 ⁷ TU/ml.
RefSeq:	NM_000189 , NM_000189.1 , NM_000189.2 , NM_000189.3 , NM_000189.4 , BC064369 , BC064369.1 , BC021116 , BM706373 , BM912287 , NM_000189.5
UniProt ID:	P52789
Summary:	Hexokinases phosphorylate glucose to produce glucose-6-phosphate, the first step in most glucose metabolism pathways. This gene encodes hexokinase 2, the predominant form found in skeletal muscle. It localizes to the outer membrane of mitochondria. Expression of this gene is insulin-responsive, and studies in rat suggest that it is involved in the increased rate of glycolysis seen in rapidly growing cancer cells. [provided by RefSeq, Apr 2009]
shRNA Design:	These shRNA constructs were designed against multiple splice variants at this gene locus. To be certain that your variant of interest is targeted, please contact techsupport@origene.com . If you need a special design or shRNA sequence, please utilize our custom shRNA service .




[View online »](#)


**Performance
Guaranteed:**

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.


For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).

Product images:


GFP signal was observed under microscope at 48 hours after transduction of TL312415A virus into HEK293 cells. TL312415A virus was prepared using lenti-shRNA TL312415A and [TR30037] packaging kit.




GFP signal was observed under microscope at 48 hours after transduction of TL312415A virus into HEK293 cells. TL312415A virus was prepared using lenti-shRNA TL312415A and [TR30037] packaging kit.




GFP signal was observed under microscope at 48 hours after transduction of TL312415B virus into HEK293 cells. TL312415B virus was prepared using lenti-shRNA TL312415B and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of TL312415B virus into HEK293 cells. TL312415B virus was prepared using lenti-shRNA TL312415B and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of [TL312415C] virus into HEK293 cells. [TL312415C] virus was prepared using lenti-shRNA [TL312415C] and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of [TL312415D] virus into HEK293 cells. [TL312415D] virus was prepared using lenti-shRNA [TL312415D] and [TR30037] packaging kit.