

# Product datasheet for TL312722

## GNAQ Human shRNA Plasmid Kit (Locus ID 2776)

## **Product data:**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

| Product Type:                | shRNA Plasmids  |
|------------------------------|---|
| Product Name:                | GNAQ Human shRNA Plasmid Kit (Locus ID 2776)  |
| Locus ID:                    | 2776  |
| Synonyms:                    | CMC1; G-ALPHA-q; GAQ; SWS   |
| Vector:                      | pGFP-C-shLenti (TR30023)  |
| E. coli Selection:           | Chloramphenicol (34 ug/ml)  |
| Mammalian Cell<br>Selection: | Puromycin   |
| Format:                      | Lentiviral plasmids   |
| Components:                  | GNAQ - Human, 4 unique 29mer shRNA constructs in lentiviral GFP vector(Gene ID = 2776).<br>5µg purified plasmid DNA per construct<br>29-mer scrambled shRNA cassette in pGFP-C-shLenti Vector, TR30021, included for free.  |
| RefSeq:                      | <u>NM_002072, NM_002072.1, NM_002072.2, NM_002072.4, BC057777, BC057777.1, BC047048, BC067850, BC069520, BC075096, BC075097, NM_002072.5</u>  |
| UniProt ID:                  | <u>P50148</u>   |
| Summary:                     | This locus encodes a guanine nucleotide-binding protein. The encoded protein, an alpha<br>subunit in the Gq class, couples a seven-transmembrane domain receptor to activation of<br>phospolipase C-beta. Mutations at this locus have been associated with problems in platelet<br>activation and aggregation. A related pseudogene exists on chromosome 2.[provided by<br>RefSeq, Nov 2010] |
| shRNA Design:                | These shRNA constructs were designed against multiple splice variants at this gene locus. To be certain that your variant of interest is targeted, please contact <u>techsupport@origene.com</u> . If you need a special design or shRNA sequence, please utilize our <u>custom shRNA service</u> .   |




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

#### **GNAQ Human shRNA Plasmid Kit (Locus ID 2776) – TL312722**

Performance Guaranteed: OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.


For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).

### **Product images:**



GFP signal was observed under microscope at 48 hours after transduction of TL312722A virus into HEK293 cells. TL312722A virus was prepared using lenti-shRNA TL312722A and [TR30037] packaging kit.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



GFP signal was observed under microscope at 48 hours after transduction of TL312722B virus into HEK293 cells. TL312722B virus was prepared using lenti-shRNA TL312722B and [TR30037] packaging kit.

GFP signal was observed under microscope at 48 hours after transduction of [TL312722C] virus into HEK293 cells. [TL312722C] virus was prepared using lenti-shRNA [TL312722C] and [TR30037] packaging kit.

GFP signal was observed under microscope at 48 hours after transduction of [TL312722D] virus into HEK293 cells. [TL312722D] virus was prepared using lenti-shRNA [TL312722D] and [TR30037] packaging kit.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US