

Product datasheet for TL312891

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Frataxin (FXN) Human shRNA Plasmid Kit (Locus ID 2395)

Product data:

Product Type: shRNA Plasmids

Product Name: Frataxin (FXN) Human shRNA Plasmid Kit (Locus ID 2395)

Locus ID: 2395

Synonyms: CyaY; FA; FARR; FRDA; X25

Vector: pGFP-C-shLenti (TR30023)

E. coli Selection: Chloramphenicol (34 ug/ml)

Mammalian Cell

Selection:

Puromycin

Format: Lentiviral plasmids

Components: FXN - Human, 4 unique 29mer shRNA constructs in lentiviral GFP vector(Gene ID = 2395). 5µg

purified plasmid DNA per construct

29-mer scrambled shRNA cassette in pGFP-C-shLenti Vector, TR30021, included for free.

RefSeq: NM 000144, NM 001161706, NM 181425, NM 000144.1, NM 000144.2, NM 000144.3,

NM 000144.4, NM 181425.1, NM 181425.2, NM 001161706.1, BC023633, BC023633.2,

BC048097, NM 181425.3

UniProt ID: Q16595

Summary: This nuclear gene encodes a mitochondrial protein which belongs to the FRATAXIN family.

The protein functions in regulating mitochondrial iron transport and respiration. The expansion of intronic trinucleotide repeat GAA from 8-33 repeats to >90 repeats results in Friedreich ataxia. Alternative splicing results in multiple transcript variants. [provided by

RefSeq, Jul 2016]

shRNA Design: These shRNA constructs were designed against multiple splice variants at this gene locus. To

be certain that your variant of interest is targeted, please contact <u>techsupport@origene.com</u>. If you need a special design or shRNA sequence, please utilize our <u>custom shRNA service</u>.




Performance Guaranteed:

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.


For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).

Product images:




GFP signal was observed under microscope at 48 hours after transduction of TL312891A virus into HEK293 cells. TL312891A virus was prepared using lenti-shRNA TL312891A and [TR30037] packaging kit.






GFP signal was observed under microscope at 48 hours after transduction of TL312891A virus into HEK293 cells. TL312891A virus was prepared using lenti-shRNA TL312891A and [TR30037] packaging kit.




GFP signal was observed under microscope at 48 hours after transduction of TL312891B virus into HEK293 cells. TL312891B virus was prepared using lenti-shRNA TL312891B and [TR30037] packaging kit.




GFP signal was observed under microscope at 48 hours after transduction of TL312891B virus into HEK293 cells. TL312891B virus was prepared using lenti-shRNA TL312891B and [TR30037] packaging kit.






GFP signal was observed under microscope at 48 hours after transduction of [TL312891C] virus into HEK293 cells. [TL312891C] virus was prepared using lenti-shRNA [TL312891C] and [TR30037] packaging kit.




GFP signal was observed under microscope at 48 hours after transduction of [TL312891C] virus into HEK293 cells. [TL312891C] virus was prepared using lenti-shRNA [TL312891C] and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of [TL312891D] virus into HEK293 cells. [TL312891D] virus was prepared using lenti-shRNA [TL312891D] and [TR30037] packaging kit.





GFP signal was observed under microscope at 48 hours after transduction of [TL312891D] virus into HEK293 cells. [TL312891D] virus was prepared using lenti-shRNA [TL312891D] and [TR30037] packaging kit.