

Product datasheet for **TL313050**

Fibrillin 1 (FBN1) Human shRNA Plasmid Kit (Locus ID 2200)

Product data:

Product Type:	shRNA Plasmids
Product Name:	Fibrillin 1 (FBN1) Human shRNA Plasmid Kit (Locus ID 2200)
Locus ID:	2200
Synonyms:	ACMICD; ECTOL1; FBN; GPHYSD2; MASS; MFLS; MFS1; OCTD; SGS; SSKS; WMS; WMS2
Vector:	pGFP-C-shLenti (TR30023)
E. coli Selection:	Chloramphenicol (34 ug/ml)
Mammalian Cell Selection:	Puromycin
Format:	Lentiviral plasmids
Components:	FBN1 - Human, 4 unique 29mer shRNA constructs in lentiviral GFP vector(Gene ID = 2200). 5µg purified plasmid DNA per construct 29-mer scrambled shRNA cassette in pGFP-C-shLenti Vector, TR30021, included for free.
RefSeq:	NM_000138 , NM_000138.1 , NM_000138.2 , NM_000138.3 , NM_000138.4 , BC094721 , BC146854
UniProt ID:	P35555
Summary:	This gene encodes a member of the fibrillin family of proteins. The encoded preproprotein is proteolytically processed to generate two proteins including the extracellular matrix component fibrillin-1 and the protein hormone asprosin. Fibrillin-1 is an extracellular matrix glycoprotein that serves as a structural component of calcium-binding microfibrils. These microfibrils provide force-bearing structural support in elastic and nonelastic connective tissue throughout the body. Asprosin, secreted by white adipose tissue, has been shown to regulate glucose homeostasis. Mutations in this gene are associated with Marfan syndrome and the related MASS phenotype, as well as ectopia lentis syndrome, Weill-Marchesani syndrome, Shprintzen-Goldberg syndrome and neonatal progeroid syndrome. [provided by RefSeq, Apr 2016]
shRNA Design:	These shRNA constructs were designed against multiple splice variants at this gene locus. To be certain that your variant of interest is targeted, please contact techsupport@origene.com . If you need a special design or shRNA sequence, please utilize our custom shRNA service .




[View online »](#)


**Performance
Guaranteed:**

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.


For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).

Product images:


GFP signal was observed under microscope at 48 hours after transduction of TL313050A virus into HEK293 cells. TL313050A virus was prepared using lenti-shRNA TL313050A and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of TL313050B virus into HEK293 cells. TL313050B virus was prepared using lenti-shRNA TL313050B and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of [TL313050C] virus into HEK293 cells. [TL313050C] virus was prepared using lenti-shRNA [TL313050C] and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of [TL313050D] virus into HEK293 cells. [TL313050D] virus was prepared using lenti-shRNA [TL313050D] and [TR30037] packaging kit.