

Product datasheet for TL313536

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

DOPA Decarboxylase (DDC) Human shRNA Plasmid Kit (Locus ID 1644)

Product data:

Product Type: shRNA Plasmids

Product Name: DOPA Decarboxylase (DDC) Human shRNA Plasmid Kit (Locus ID 1644)

Locus ID: 1644 Synonyms: AADC

Vector:pGFP-C-shLenti (TR30023)E. coli Selection:Chloramphenicol (34 ug/ml)

Mammalian Cell

Puromycin

Selection: Format:

Lentiviral plasmids

Components: DDC - Human, 4 unique 29mer shRNA constructs in lentiviral GFP vector(Gene ID = 1644). 5µg

purified plasmid DNA per construct

29-mer scrambled shRNA cassette in pGFP-C-shLenti Vector, TR30021, included for free.

RefSeq: NM 000790, NM 001082971, NM 001242886, NM 001242887, NM 001242888,

NM 001242889, NM 001242890, NM 000790.1, NM 000790.2, NM 000790.3,

NM 001082971.1, NM 001242890.1, NM 001242889.1, NM 001242888.1, NM 001242887.1,

NM 001242886.1, BC008366, BC008366.1, BC000485, BM713211

UniProt ID: P20711

Summary: The encoded protein catalyzes the decarboxylation of L-3,4-dihydroxyphenylalanine (DOPA)

to dopamine, L-5-hydroxytryptophan to serotonin and L-tryptophan to tryptamine. Defects in this gene are the cause of aromatic L-amino-acid decarboxylase deficiency (AADCD). AADCD deficiency is an inborn error in neurotransmitter metabolism that leads to combined

serotonin and catecholamine deficiency. Multiple alternatively spliced transcript variants encoding different isoforms have been identified for this gene. [provided by RefSeq, Jun 2011]

shRNA Design: These shRNA constructs were designed against multiple splice variants at this gene locus. To

be certain that your variant of interest is targeted, please contact <u>techsupport@origene.com</u>. If you need a special design or shRNA sequence, please utilize our <u>custom shRNA service</u>.







Performance Guaranteed:

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.

For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).