

## Product datasheet for **TL313715V**

### Alpha B Crystallin (CRYAB) Human shRNA Lentiviral Particle (Locus ID 1410)

#### Product data:

Product Type:	shRNA Lentiviral Particles
Product Name:	Alpha B Crystallin (CRYAB) Human shRNA Lentiviral Particle (Locus ID 1410)
Locus ID:	1410
Synonyms:	CMD1I1; CRYA2; CTPP2; CTRCT16; HEL-S-101; HSPB5; MFM2
Vector:	pGFP-C-shLenti (TR30023)
Format:	Lentiviral particles
Components:	CRYAB - Human shRNA lentiviral particles (4 unique 29mer target-specific shRNA, 1 scramble control), 0.5 ml each, >10 <sup>7</sup> TU/ml.
RefSeq:	<a href="#">NM_001289807</a> , <a href="#">NM_001289808</a> , <a href="#">NM_001330379</a> , <a href="#">NM_001885</a> , <a href="#">NM_001885.1</a> , <a href="#">NM_001885.2</a> , <a href="#">NM_001289807.1</a> , <a href="#">NM_001289808.1</a> , <a href="#">BC007008</a> , <a href="#">BC007008.1</a> , <a href="#">BM721803</a> , <a href="#">NM_001368245</a> , <a href="#">NM_001368246</a> , <a href="#">NM_001289808.2</a> , <a href="#">NM_001885.3</a>
UniProt ID:	<a href="#">P02511</a>
Summary:	Mammalian lens crystallins are divided into alpha, beta, and gamma families. Alpha crystallins are composed of two gene products: alpha-A and alpha-B, for acidic and basic, respectively. Alpha crystallins can be induced by heat shock and are members of the small heat shock protein (HSP20) family. They act as molecular chaperones although they do not renature proteins and release them in the fashion of a true chaperone; instead they hold them in large soluble aggregates. These heterogeneous aggregates consist of 30-40 subunits; the alpha-A and alpha-B subunits have a 3:1 ratio, respectively. Two additional functions of alpha crystallins are an autokinase activity and participation in the intracellular architecture. The encoded protein has been identified as a moonlighting protein based on its ability to perform mechanistically distinct functions. Alpha-A and alpha-B gene products are differentially expressed; alpha-A is preferentially restricted to the lens and alpha-B is expressed widely in many tissues and organs. Elevated expression of alpha-B crystallin occurs in many neurological diseases; a missense mutation cosegregated in a family with a desmin-related myopathy. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jan 2019]
shRNA Design:	These shRNA constructs were designed against multiple splice variants at this gene locus. To be certain that your variant of interest is targeted, please contact <a href="mailto:techsupport@origene.com">techsupport@origene.com</a> . If you need a special design or shRNA sequence, please utilize our <a href="#">custom shRNA service</a> .



[View online »](#)

**Performance  
Guaranteed:**

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.

For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at [techsupport@origene.com](mailto:techsupport@origene.com). Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).