

Product datasheet for TL314140

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Cyclin C (CCNC) Human shRNA Plasmid Kit (Locus ID 892)

Product data:

Product Type: shRNA Plasmids

Product Name: Cyclin C (CCNC) Human shRNA Plasmid Kit (Locus ID 892)

Locus ID: 892

Synonyms: CycC; hSRB11; SRB11

Vector: pGFP-C-shLenti (TR30023)

E. coli Selection: Chloramphenicol (34 ug/ml)

Mammalian Cell

Selection:

Puromycin

Format: Lentiviral plasmids

CCNC - Human, 4 unique 29mer shRNA constructs in lentiviral GFP vector(Gene ID = 892). 5µg

purified plasmid DNA per construct

29-mer scrambled shRNA cassette in pGFP-C-shLenti Vector, TR30021, included for free.

RefSeq: BC026272, NM 001013399, NM 005190, NM 001013399.1, NM 005190.1, NM 005190.2,

NM 005190.3, BC010135, BC010135.2, BC030159, BC041123, BC050726, BC056153,

BM788717, NM 001363537, NM 005190.4

UniProt ID: P24863

Summary: The protein encoded by this gene is a member of the cyclin family of proteins. The encoded

protein interacts with cyclin-dependent kinase 8 and induces the phophorylation of the carboxy-terminal domain of the large subunit of RNA polymerase II. The level of mRNAs for this gene peaks in the G1 phase of the cell cycle. Two transcript variants encoding different

isoforms have been found for this gene. [provided by RefSeq, Jul 2008]

shRNA Design: These shRNA constructs were designed against multiple splice variants at this gene locus. To

be certain that your variant of interest is targeted, please contact <u>techsupport@origene.com</u>. If you need a special design or shRNA sequence, please utilize our <u>custom shRNA service</u>.



Performance Guaranteed:

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.

For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).

Product images:



GFP signal was observed under microscope at 48 hours after transduction of TL314140A virus into HEK293 cells. TL314140A virus was prepared using lenti-shRNA TL314140A and [TR30037] packaging kit.





GFP signal was observed under microscope at 48 hours after transduction of TL314140B virus into HEK293 cells. TL314140B virus was prepared using lenti-shRNA TL314140B and [TR30037] packaging kit.