

## **Product datasheet for TL314582**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## ATP5G2 Human shRNA Plasmid Kit (Locus ID 517)

**Product data:** 

**Product Type:** shRNA Plasmids

**Product Name:** ATP5G2 Human shRNA Plasmid Kit (Locus ID 517)

Locus ID: 517

Synonyms: ATP5A; ATP5G2

**Vector:** pGFP-C-shLenti (TR30023)

**E. coli Selection:** Chloramphenicol (34 ug/ml)

**Mammalian Cell** 

Selection:

Puromycin

Format: Lentiviral plasmids

**Components:** ATP5G2 - Human, 4 unique 29mer shRNA constructs in lentiviral GFP vector(Gene ID = 517).

5µg purified plasmid DNA per construct

29-mer scrambled shRNA cassette in pGFP-C-shLenti Vector, TR30021, included for free.

**RefSeq:** <u>NM 001002031</u>, <u>NM 001330269</u>, <u>NM 005176</u>, <u>NM 005176.1</u>, <u>NM 005176.3</u>, <u>NM 005176.4</u>,

NM 005176.5, NM 001002031.1, NM 001002031.2, BC013839, BC020826, NM 001369754,

NM 001369757, NM 001369753, NM 001369755, NM 001369756, NM 001369758,

NR 163135, NR 163136, NR 163137, NM 001002031.4

UniProt ID: Q06055

**Summary:** This gene encodes a subunit of mitochondrial ATP synthase. Mitochondrial ATP synthase

catalyzes ATP synthesis, utilizing an electrochemical gradient of protons across the inner membrane during oxidative phosphorylation. ATP synthase is composed of two linked multisubunit complexes: the soluble catalytic core, F1, and the membrane-spanning component, Fo, comprising the proton channel. The catalytic portion of mitochondrial ATP synthase consists of 5 different subunits (alpha, beta, gamma, delta, and epsilon) assembled with a stoichiometry of 3 alpha, 3 beta, and single representatives of the gamma, delta, and epsilon subunits. The proton channel likely has nine subunits (a, b, c, d, e, f, g, F6 and 8). There are three separate genes which encode subunit c of the proton channel and they specify precursors with different import sequences but identical mature proteins. The protein encoded by this gene is one of three precursors of subunit c. This gene has multiple

pseudogenes. [provided by RefSeq, Jan 2018]





## ATP5G2 Human shRNA Plasmid Kit (Locus ID 517) - TL314582

shRNA Design:

These shRNA constructs were designed against multiple splice variants at this gene locus. To be certain that your variant of interest is targeted, please contact <a href="mailto:techsupport@origene.com">techsupport@origene.com</a>. If you need a special design or shRNA sequence, please utilize our <a href="mailto:custom shRNA service">custom shRNA service</a>.

Performance Guaranteed: OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.

For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).