

# Product datasheet for TL314736

# APC2 Human shRNA Plasmid Kit (Locus ID 10297)

### **Product data:**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	shRNA Plasmids
Product Name:	APC2 Human shRNA Plasmid Kit (Locus ID 10297)
Locus ID:	10297
Synonyms:	APCL
Vector:	pGFP-C-shLenti (TR30023)
E. coli Selection:	Chloramphenicol (34 ug/ml)
Mammalian Cell Selection:	Puromycin
Format:	Lentiviral plasmids
Components:	APC2 - Human, 4 unique 29mer shRNA constructs in lentiviral GFP vector(Gene ID = 10297). 5μg purified plasmid DNA per construct 29-mer scrambled shRNA cassette in pGFP-C-shLenti Vector, TR30021, included for free.
RefSeq:	<u>NM 005883</u> , <u>NM 001351273</u> , <u>NM 005883.1</u> , <u>NM 005883.2</u> , <u>BC020381</u> , <u>BC032573</u> , <u>NM 005883.3</u>
UniProt ID:	<u>O95996</u>
Summary:	This gene encodes a strongly conserved protein that has an N-terminal coiled-coil domain followed by an armadillo domain, five 20-amino acid repeats, and two SAMP domains. This protein promotes the assembly of a multiprotein complex that recruits and phosphorylates the Wnt effector beta-catenin and targets beta-catenin for ubiquitylation and proteasomal degradation. This protein therefore plays a role in the reduction of cytoplasmic levels of beta- catenin which in turn reduces activation of Wnt target genes that play a pivotal role in the pathogenesis of various human cancers. The protein encoded by this gene is closely related to the adenomatous polyposis coli (APC) tumor-suppressor protein and has similar tumor- suppressor effects. This gene also plays a role in actin assembly, cell-cell adhesion, and microtubule network formation through its interaction with cytoskeletal proteins. This gene has its highest expression in the central nervous system and is involved in brain development through cytoskeletal regulation in neurons. Alternative splicing produces multiple transcript


variants encoding distinct isoforms. [provided by RefSeq, May 2017]



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

APC2 Human shRNA Plasmid Kit (Locus ID 10297) - TL314736 These shRNA constructs were designed against multiple splice variants at this gene locus. To shRNA Design: be certain that your variant of interest is targeted, please contact <u>techsupport@origene.com</u>. If you need a special design or shRNA sequence, please utilize our custom shRNA service. Performance OriGene guarantees that the sequences in the shRNA expression cassettes are verified to Guaranteed: correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over gPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples. For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data


# **Product images:**



preferred).

GFP signal was observed under microscope at 48 hours after transduction of TL314736A virus into HEK293 cells. TL314736A virus was prepared using lenti-shRNA TL314736A and [TR30037] packaging kit.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



GFP signal was observed under microscope at 48 hours after transduction of TL314736B virus into HEK293 cells. TL314736B virus was prepared using lenti-shRNA TL314736B and [TR30037] packaging kit.

GFP signal was observed under microscope at 48 hours after transduction of [TL314736C] virus into HEK293 cells. [TL314736C] virus was prepared using lenti-shRNA [TL314736C] and [TR30037] packaging kit.

GFP signal was observed under microscope at 48 hours after transduction of [TL314736D] virus into HEK293 cells. [TL314736D] virus was prepared using lenti-shRNA [TL314736D] and [TR30037] packaging kit.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US