

## Product datasheet for **TL316565V**

### G protein coupled receptor 30 (GPER1) Human shRNA Lentiviral Particle (Locus ID 2852)

#### Product data:

Product Type:	shRNA Lentiviral Particles
Product Name:	G protein coupled receptor 30 (GPER1) Human shRNA Lentiviral Particle (Locus ID 2852)
Locus ID:	2852
Synonyms:	FEG-1, LERGU, CMKRL2, LERGU2, GPCR-Br, MGC99678
Vector:	pGFP-C-shLenti (TR30023)
Format:	Lentiviral particles
Components:	GPER - Human shRNA lentiviral particles (4 unique 29mer target-specific shRNA, 1 scramble control), 0.5 ml each, >10 <sup>7</sup> TU/ml.
RefSeq:	<a href="#">NM_001031682</a> , <a href="#">NM_001039966</a> , <a href="#">NM_001098201</a> , <a href="#">NM_001505</a> , <a href="#">NM_001039966.1</a> , <a href="#">NM_001098201.1</a> , <a href="#">NM_001505.1</a> , <a href="#">NM_001505.2</a> , <a href="#">BC011634</a> , <a href="#">BC011634.1</a> , <a href="#">BC067849</a> , <a href="#">BC082766</a> , <a href="#">BM672716</a> , <a href="#">NM_001505.3</a> , <a href="#">NM_001098201.3</a>
UniProt ID:	<a href="#">Q99527</a>
Summary:	This gene encodes a multi-pass membrane protein that localizes to the endoplasmic reticulum and a member of the G-protein coupled receptor 1 family. This receptor binds estrogen and activates multiple downstream signaling pathways, leading to stimulation of adenylate cyclase and an increase in cyclic AMP levels, while also promoting intracellular calcium mobilization and synthesis of phosphatidylinositol 3,4,5-trisphosphate in the nucleus. This protein therefore plays a role in the rapid nongenomic signaling events widely observed following stimulation of cells and tissues with estrogen. This receptor has been shown to play a role in diverse biological processes, including bone and nervous system development, metabolism, cognition, male fertility and uterine function. [provided by RefSeq, Aug 2017]
shRNA Design:	These shRNA constructs were designed against multiple splice variants at this gene locus. To be certain that your variant of interest is targeted, please contact <a href="mailto:techsupport@origene.com">techsupport@origene.com</a> . If you need a special design or shRNA sequence, please utilize our <a href="#">custom shRNA service</a> .




[View online »](#)


**Performance  
Guaranteed:**

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.


For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at [techsupport@origene.com](mailto:techsupport@origene.com). Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).

**Product images:**


GFP signal was observed under microscope at 48 hours after transduction of TL316565A virus into HEK293 cells. TL316565A virus was prepared using lenti-shRNA TL316565A and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of TL316565B virus into HEK293 cells. TL316565B virus was prepared using lenti-shRNA TL316565B and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of [TL316565C] virus into HEK293 cells. [TL316565C] virus was prepared using lenti-shRNA [TL316565C] and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of [TL316565D] virus into HEK293 cells. [TL316565D] virus was prepared using lenti-shRNA [TL316565D] and [TR30037] packaging kit.