

# **Product datasheet for TL316830**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## MRP3 (ABCC3) Human shRNA Plasmid Kit (Locus ID 8714)

**Product data:** 

**Product Type:** shRNA Plasmids

Product Name: MRP3 (ABCC3) Human shRNA Plasmid Kit (Locus ID 8714)

**Locus ID:** 8714

Synonyms: ABC31; cMOAT2; EST90757; MLP2; MOAT-D; MRP3

Vector: pGFP-C-shLenti (TR30023)

E. coli Selection: Chloramphenicol (34 ug/ml)

**Mammalian Cell** 

Puromycin

Selection:

Format: Lentiviral plasmids

**Components:** ABCC3 - Human, 4 unique 29mer shRNA constructs in lentiviral GFP vector(Gene ID = 8714).

5µg purified plasmid DNA per construct

29-mer scrambled shRNA cassette in pGFP-C-shLenti Vector, TR30021, included for free.

**RefSeq:** NM 001144070, NM 003786, NM 020037, NM 020038, NM 003786.1, NM 003786.2,

NM 003786.3, NM 001144070.1, BC034683, BC046126, BC050370, BC058907, BC104952,

BC127655, BC131755, BC137347, BC137348, NM 001144070.2, NM 003786.4

UniProt ID: 015438

**Summary:** The protein encoded by this gene is a member of the superfamily of ATP-binding cassette

(ABC) transporters. ABC proteins transport various molecules across extra- and intra-cellular membranes. ABC genes are divided into seven distinct subfamilies (ABC1, MDR/TAP, MRP, ALD, OABP, GCN20, White). This protein is a member of the MRP subfamily which is involved in multi-drug resistance. The specific function of this protein has not yet been determined; however, this protein may play a role in the transport of biliary and intestinal excretion of organic anions. Alternatively spliced variants which encode different protein isoforms have been described; however, not all variants have been fully characterized. [provided by RefSeq,

Jul 2008]

shRNA Design: These shRNA constructs were designed against multiple splice variants at this gene locus. To

be certain that your variant of interest is targeted, please contact <u>techsupport@origene.com</u>. If you need a special design or shRNA sequence, please utilize our <u>custom shRNA service</u>.






### Performance Guaranteed:

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.


For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).

## **Product images:**




GFP signal was observed under microscope at 48 hours after transduction of TL316830A virus into HEK293 cells. TL316830A virus was prepared using lenti-shRNA TL316830A and [TR30037] packaging kit.






GFP signal was observed under microscope at 48 hours after transduction of TL316830A virus into HEK293 cells. TL316830A virus was prepared using lenti-shRNA TL316830A and [TR30037] packaging kit.




GFP signal was observed under microscope at 48 hours after transduction of TL316830B virus into HEK293 cells. TL316830B virus was prepared using lenti-shRNA TL316830B and [TR30037] packaging kit.




GFP signal was observed under microscope at 48 hours after transduction of TL316830B virus into HEK293 cells. TL316830B virus was prepared using lenti-shRNA TL316830B and [TR30037] packaging kit.





GFP signal was observed under microscope at 48 hours after transduction of [TL316830C] virus into HEK293 cells. [TL316830C] virus was prepared using lenti-shRNA [TL316830C] and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of [TL316830D] virus into HEK293 cells. [TL316830D] virus was prepared using lenti-shRNA [TL316830D] and [TR30037] packaging kit.