

## **Product datasheet for TL318404**

## **OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

## MIA3 Human shRNA Plasmid Kit (Locus ID 375056)

**Product data:** 

**Product Type:** shRNA Plasmids

**Product Name:** MIA3 Human shRNA Plasmid Kit (Locus ID 375056)

**Locus ID:** 375056

Synonyms: ARNT; D320; TANGO; TANGO1; UNQ6077

**Vector:** pGFP-C-shLenti (TR30023)

E. coli Selection: Chloramphenicol (34 ug/ml)

**Mammalian Cell** 

Selection:

Puromycin

Format: Lentiviral plasmids

**Components:** MIA3 - Human, 4 unique 29mer shRNA constructs in lentiviral GFP vector(Gene ID = 375056).

5µg purified plasmid DNA per construct

29-mer scrambled shRNA cassette in pGFP-C-shLenti Vector, TR30021, included for free.

**RefSeq:** <u>NM 001300867</u>, <u>NM 001324062</u>, <u>NM 001324063</u>, <u>NM 001324064</u>, <u>NM 001324065</u>,

NM 198551, NM 198551.1, NM 198551.3, NM 001300867.1, BC031805, BC047116,

NM 198551.4

UniProt ID: Q5|RA6

**Summary:** Plays a role in the transport of cargos that are too large to fit into COPII-coated vesicles and

require specific mechanisms to be incorporated into membrane-bound carriers and exported from the endoplasmic reticulum. This protein is required for collagen VII (COL7A1) secretion by loading COL7A1 into transport carriers. It may participate in cargo loading of COL7A1 at endoplasmic reticulum exit sites by binding to COPII coat subunits Sec23/24 and guiding SH3-bound COL7A1 into a growing carrier. Does not play a role in global protein secretion and is apparently specific to COL7A1 cargo loading. However, it may participate in secretion of other proteins in cells that do not secrete COL7A1. It is also specifically required for the secretion of

lipoproteins by participating in their export from the endoplasmic reticulum

(PubMed:27138255, PubMed:19269366). Required for correct assembly of COPII coat

components at endoplasmic reticulum exit sites (ERES) and for the localization of SEC16A and membrane-bound ER-resident complexes consisting of MIA2 and PREB/SEC12 to ERES

(PubMed:28442536).[UniProtKB/Swiss-Prot Function]







shRNA Design:

These shRNA constructs were designed against multiple splice variants at this gene locus. To be certain that your variant of interest is targeted, please contact <a href="mailto:techsupport@origene.com">techsupport@origene.com</a>. If you need a special design or shRNA sequence, please utilize our <a href="mailto:custom shRNA service">custom shRNA service</a>.

Performance Guaranteed: OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.

For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).