

Product datasheet for TL319821

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

GCP2 (CXCL6) Human shRNA Plasmid Kit (Locus ID 6372)

Product data:

Product Type: shRNA Plasmids

Product Name: GCP2 (CXCL6) Human shRNA Plasmid Kit (Locus ID 6372)

Locus ID: 6372

Synonyms: CKA-3; GCP-2; GCP2; SCYB6

Vector: pGFP-C-shLenti (TR30023)

E. coli Selection: Chloramphenicol (34 ug/ml)

Mammalian Cell

Selection:

Puromycin

Format: Lentiviral plasmids

Components: CXCL6 - Human, 4 unique 29mer shRNA constructs in lentiviral GFP vector(Gene ID = 6372).

5µg purified plasmid DNA per construct

29-mer scrambled shRNA cassette in pGFP-C-shLenti Vector, TR30021, included for free.

RefSeq: NM 002993, NM 002993.1, NM 002993.2, NM 002993.3, BC013744, BC013744.1,

NM 002993.4

UniProt ID: P80162

Summary: The protein encoded by this gene is a member CXC chemokine family. The encoded protein is

a chemotactic for neutrophil granulocytes and has antibacterial action against gram-negative and gram-positive bacteria. This gene and other members of the CXC chemokine gene family

form a gene cluster in a region of chromosome 4q. [provided by RefSeq, Jun 2020]

shRNA Design: These shRNA constructs were designed against multiple splice variants at this gene locus. To

be certain that your variant of interest is targeted, please contact <u>techsupport@origene.com</u>. If you need a special design or shRNA sequence, please utilize our <u>custom shRNA service</u>.






Performance Guaranteed:

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.


For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).

Product images:




GFP signal was observed under microscope at 48 hours after transduction of TL319821A virus into HEK293 cells. TL319821A virus was prepared using lenti-shRNA TL319821A and [TR30037] packaging kit.






GFP signal was observed under microscope at 48 hours after transduction of TL319821A virus into HEK293 cells. TL319821A virus was prepared using lenti-shRNA TL319821A and [TR30037] packaging kit.




GFP signal was observed under microscope at 48 hours after transduction of TL319821B virus into HEK293 cells. TL319821B virus was prepared using lenti-shRNA TL319821B and [TR30037] packaging kit.




GFP signal was observed under microscope at 48 hours after transduction of TL319821B virus into HEK293 cells. TL319821B virus was prepared using lenti-shRNA TL319821B and [TR30037] packaging kit.






GFP signal was observed under microscope at 48 hours after transduction of [TL319821C] virus into HEK293 cells. [TL319821C] virus was prepared using lenti-shRNA [TL319821C] and [TR30037] packaging kit.




GFP signal was observed under microscope at 48 hours after transduction of [TL319821C] virus into HEK293 cells. [TL319821C] virus was prepared using lenti-shRNA [TL319821C] and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of [TL319821D] virus into HEK293 cells. [TL319821D] virus was prepared using lenti-shRNA [TL319821D] and [TR30037] packaging kit.





GFP signal was observed under microscope at 48 hours after transduction of [TL319821D] virus into HEK293 cells. [TL319821D] virus was prepared using lenti-shRNA [TL319821D] and [TR30037] packaging kit.