

Product datasheet for TL320565

TYK2 Human shRNA Plasmid Kit (Locus ID 7297)

Product data:

Product Type: shRNA Plasmids

Product Name: TYK2 Human shRNA Plasmid Kit (Locus ID 7297)

Locus ID: 7297

Synonyms: IMD35; JTK1

Vector:pGFP-C-shLenti (TR30023)E. coli Selection:Chloramphenicol (34 ug/ml)

Mammalian Cell

Selection:

Puromycin

Format: Lentiviral plasmids

Components: TYK2 - Human, 4 unique 29mer shRNA constructs in lentiviral GFP vector(Gene ID = 7297). 5µg

purified plasmid DNA per construct

29-mer scrambled shRNA cassette in pGFP-C-shLenti Vector, TR30021, included for free.

RefSeq: NM 003331, NM 003331.1, NM 003331.2, NM 003331.3, NM 003331.4, BC014243

UniProt ID: P29597

Summary: This gene encodes a member of the tyrosine kinase and, more specifically, the Janus kinases

(JAKs) protein families. This protein associates with the cytoplasmic domain of type I and type II cytokine receptors and promulgate cytokine signals by phosphorylating receptor subunits. It is also a component of both the type I and type III interferon signaling pathways. As such, it may play a role in anti-viral immunity. A mutation in this gene has been associated with

Immunodeficiency 35. [provided by RefSeq, Sep 2020]

shRNA Design: These shRNA constructs were designed against multiple splice variants at this gene locus. To

be certain that your variant of interest is targeted, please contact <u>techsupport@origene.com</u>. If you need a special design or shRNA sequence, please utilize our <u>custom shRNA service</u>.



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Performance Guaranteed:

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.


For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).

Product images:




GFP signal was observed under microscope at 48 hours after transduction of TL320565A virus into HEK293 cells. TL320565A virus was prepared using lenti-shRNA TL320565A and [TR30037] packaging kit.






GFP signal was observed under microscope at 48 hours after transduction of TL320565A virus into HEK293 cells. TL320565A virus was prepared using lenti-shRNA TL320565A and [TR30037] packaging kit.




GFP signal was observed under microscope at 48 hours after transduction of TL320565B virus into HEK293 cells. TL320565B virus was prepared using lenti-shRNA TL320565B and [TR30037] packaging kit.




GFP signal was observed under microscope at 48 hours after transduction of TL320565B virus into HEK293 cells. TL320565B virus was prepared using lenti-shRNA TL320565B and [TR30037] packaging kit.






GFP signal was observed under microscope at 48 hours after transduction of [TL320565C] virus into HEK293 cells. [TL320565C] virus was prepared using lenti-shRNA [TL320565C] and [TR30037] packaging kit.




GFP signal was observed under microscope at 48 hours after transduction of [TL320565C] virus into HEK293 cells. [TL320565C] virus was prepared using lenti-shRNA [TL320565C] and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of [TL320565D] virus into HEK293 cells. [TL320565D] virus was prepared using lenti-shRNA [TL320565D] and [TR30037] packaging kit.





GFP signal was observed under microscope at 48 hours after transduction of [TL320565D] virus into HEK293 cells. [TL320565D] virus was prepared using lenti-shRNA [TL320565D] and [TR30037] packaging kit.