

# **Product datasheet for TL500311V**

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Cd38 Mouse shRNA Lentiviral Particle (Locus ID 12494)

#### **Product data:**

**Product Type:** shRNA Lentiviral Particles

**Product Name:** Cd38 Mouse shRNA Lentiviral Particle (Locus ID 12494)

**Locus ID:** 12494

**Synonyms:** ADPRC 1; Cd38-r; Cd38-rs1; I-19

**Vector:** pGFP-C-shLenti (TR30023)

Format: Lentiviral particles

Components: Cd38 - Mouse shRNA lentiviral particles (4 unique 29mer target-specific shRNA, 1 scramble

control), 0.5 ml each, >10^7 TU/ml.

RefSeq: <u>BC046312, NM 007646, NM 007646.1, NM 007646.2, NM 007646.3, NM 007646.4,</u>

NM 007646.5

UniProt ID: P56528

Summary: This gene encodes a non-lineage-restricted, type II transmembrane glycoprotein that

synthesizes and hydrolyzes cyclic adenosine 5'-diphosphate-ribose, an intracellular calcium ion mobilizing messenger. The release of soluble protein and the ability of membrane-bound protein to become internalized indicate both extracellular and intracellular functions for the protein. This protein has an N-terminal cytoplasmic tail, a single membrane-spanning

domain, and a C-terminal extracellular region with four N-glycosylation sites. Knockout mice deficient for this gene display altered humoral immune responses. In addition, knockout mice exhibit higher locomotor activity and defects in nurturing and social behaviors. [provided by

RefSeq, Sep 2015]

shRNA Design: These shRNA constructs were designed against multiple splice variants at this gene locus. To

be certain that your variant of interest is targeted, please contact <u>techsupport@origene.com</u>. If you need a special design or shRNA sequence, please utilize our <u>custom shRNA service</u>.






### Performance Guaranteed:

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.


For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).

# **Product images:**




GFP signal was observed under microscope at 48 hours after transduction of TL500311A virus into HEK293 cells. TL500311A virus was prepared using lenti-shRNA TL500311A and [TR30037] packaging kit.






GFP signal was observed under microscope at 48 hours after transduction of TL500311B virus into HEK293 cells. TL500311B virus was prepared using lenti-shRNA TL500311B and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of [TL500311C] virus into HEK293 cells. [TL500311C] virus was prepared using lenti-shRNA [TL500311C] and [TR30037] packaging kit.



GFP signal was observed under microscope at 48 hours after transduction of [TL500311D] virus into HEK293 cells. [TL500311D] virus was prepared using lenti-shRNA [TL500311D] and [TR30037] packaging kit.